

# CD11b Monoclonal Antibody (M1/70), Alexa Fluor™ 532, eBioscience™

Product Details	
Size	100 µg
Species Reactivity	Mouse
Published Species	Mouse
Host/Isotype	Rat / IgG2b, kappa
Recommended Isotype Control	Rat IgG2b kappa Isotype Control (eB149/10H5), Alexa Fluor™ 532, eBioscience™
Class	Monoclonal
Type	Antibody
Clone	M1/70
Conjugate	Alexa Fluor™ 532
Excitation/Emission Max	534/553 nm
Form	Liquid
Concentration	0.2 mg/mL
Purification	Affinity chromatography
Storage buffer	PBS, pH 7.2
Contains	0.09% sodium azide
Storage conditions	4° C, store in dark, DO NOT FREEZE!
RRID	AB_2811905

Applications	Tested Dilution	Publications
Western Blot (WB)	-	1 Publication
Immunohistochemistry (IHC)	-	13 Publications
Immunohistochemistry (PFA fixed) (IHC (PFA))	-	4 Publications
Immunohistochemistry (Frozen) (IHC (F))	-	2 Publications
Immunocytochemistry (ICC/IF)	-	6 Publications
Flow Cytometry (Flow)	0.5 µg/test	111 Publications
Neutralization (Neu)	-	2 Publications

## Product Specific Information

**Description:** The M1/70 monoclonal antibody reacts with mouse CD11b, the 165-170 kDa integrin alphaM. CD11b non-covalently associates with CD18 to form alphaMbeta2 integrin (Mac-1) and binds to CD54 (ICAM-1), C3bi, and fibrinogen. Mac-1 is expressed by macrophages, NK cells, granulocytes, activated lymphocytes and mouse B-1 cells in the peritoneal cavity. M1/70 is also cross-reactive to human CD11b, and can be used for the detection of this antigen on human peripheral blood monocytes, granulocytes, and a subset of NK cells. Through interactions with its ligands, CD11b participates in adhesive cell interactions.

**Applications Reported:** This M1/70 antibody has been reported for use in flow cytometric analysis.


**Applications Tested:** This M1/70 antibody has been tested by flow cytometric analysis of mouse bone marrow cells. This may

be used at less than or equal to 0.5 µg per test. A test is defined as the amount (µg) of antibody that will stain a cell sample in a final volume of 100 µL. Cell number should be determined empirically but can range from 10<sup>5</sup> to 10<sup>8</sup> cells/test. It is recommended that the antibody be carefully titrated for optimal performance in the assay of interest.

Alexa Fluor 532 is excited with the Green laser (532 nm) and emits at 561 nm. This cannot be used with the Yellow-Green laser (561 nm). We recommend using a 560/14 band pass filter. Please make sure that your instrument is capable of detecting this fluorochrome.

Excitation: 532 nm; Emission: 561 nm; Laser: Green Laser

**Product Images For CD11b Monoclonal Antibody (M1/70), Alexa Fluor™ 532, eBioscience™**



**CD11b Antibody (58-0112-82) in Flow**  
BALB/c mouse bone marrow cells were stained with 0.25 µg of Rat IgG2b kappa Isotype Control, Alexa Fluor 532 (Product # 58-4031-80) (blue histogram) or 0.25 µg of CD11b Monoclonal Antibody, Alexa Fluor 532 (purple histogram). Cells in the large scatter population were used for analysis.

[View more figures on thermofisher.cn](https://thermofisher.cn)

## Western Blot (1)

Cells	Year 2022
<b>Influence of the Postmortem/Storage Time of Human Corneas on the Properties of Cultured Limbal Epithelial Cells.</b>	
"Published figure using CD11b monoclonal antibody (Product # 58-0112-82) in Western Blot"	
Authors: Le-Bel G,Desjardins P,Gross C,Cortez Ghio S,Couture C,Germain L,Guérin SL	

## Immunohistochemistry (13)

MedComm	Year 2022
<b>Single-cell transcriptomics reveals distinct cell response between acute and chronic pulmonary infection of <i>Pseudomonas aeruginosa</i>.</b>	
"Published figure using CD11b monoclonal antibody (Product # 58-0112-82) in Immunohistochemistry"	
Authors: Hu X,Wu M,Ma T,Zhang Y,Zou C,Wang R,Zhang Y,Ren Y,Li Q,Liu H,Li H,Wang T,Sun X,Yang Y,Tang M,Li X, Li J,Gao X,Li T,Zhou X	
Journal of inflammation research	
<b>Dual Activity of Ginsenoside Rb1 in Hypertrophic Cardiomyocytes and Activated Macrophages: Implications for the Therapeutic Intervention of Cardiac Hypertrophy.</b>	
"Published figure using CD11b monoclonal antibody (Product # 58-0112-82) in Immunohistochemistry"	
Authors: Wang S,Cui Y,Xiong M,Li M,Wang P,Cui J,Du X,Chen Y,Zhang T	

[View more IHC references on thermofisher.cn](#)

## Immunohistochemistry (PFA fixed) (4)

Frontiers in cardiovascular medicine	Year 2022
<b>Serp-1 Promotes Corneal Wound Healing by Facilitating Re-epithelialization and Inhibiting Fibrosis and Angiogenesis.</b>	
"Published figure using CD11b monoclonal antibody (Product # 58-0112-82) in Immunohistochemistry (PFA fixed)"	
Authors: Ju B,Guo O,Benissan-Messan DZ,Shawver MH,Chen P,Geng B,Wei S,Yaron JR,Lucas AR,Zhu H	

[View more IHC \(PFA\) references on thermofisher.cn](#)

## More applications with references on thermofisher.cn

- IHC (F) (2)
- ICC/IF (6)
- Flow (111)
- Neu (2)

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTIES, EXPRESS OR IMPLIED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON-INFRINGEMENT. BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING THE WARRANTY PERIOD IS LIMITED TO REPAIR, REPLACEMENT OF OR REFUND FOR THE NON-CONFORMING PRODUCT(S) AT SELLER'S SOLE OPTION. THERE IS NO OBLIGATION TO REPAIR, REPLACE OR REFUND FOR PRODUCTS AS THE RESULT OF (i) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (ii) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (iii) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (iv) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo therapeutic uses, or any type of consumption by or application to human or animals.