



# PKC epsilon Recombinant Rabbit Monoclonal Antibody (JA38-21)


<b>Product Details</b>	
Size	100 μL
Species Reactivity	Human, Mouse, Rat
Host/Isotype	Rabbit / IgG
Expression system	HEK293 cells
Class	Recombinant Monoclonal
Туре	Antibody
Clone	JA38-21
Conjugate	Unconjugated
Immunogen	Synthetic peptide within Human PKC epsilon aa 561-610
Form	Liquid
Concentration	1 mg/mL
Purification	Protein A
Storage buffer	TBS, pH 7.4, with 40% Glycerol, 0.05% BSA
Contains	0.05% sodium azide
Storage conditions	Store at 4°C short term. For long term storage, store at -20°C, avoiding freeze/thaw cycles.
RRID	AB_2809992

Applications	Tested Dilution	Publications
Western Blot (WB)	1:500-1:1,000	-
Immunohistochemistry (Paraffin) (IHC (P))	1:50-1:200	-
Immunocytochemistry (ICC/IF)	1:50-1:200	-
Flow Cytometry (Flow)	1:50-1:100	-

#### **Product Specific Information**


Recombinant rabbit monoclonal antibodies are produced using in vitro expression systems. The expression systems are developed by cloning in the specific antibody DNA sequences from immunoreactive rabbits. Then, individual clones are screened to select the best candidates for production. The advantages of using recombinant rabbit monoclonal antibodies include: better specificity and sensitivity, lot-to-lot consistency, animal origin-free formulations, and broader immunoreactivity to diverse targets due to larger rabbit immune repertoire.

## Product Images For PKC epsilon Recombinant Rabbit Monoclonal Antibody (JA38-21)




#### PKC epsilon Antibody (MA5-32715) in WB

Western blot analysis of PKC epsilon in different lysates using a Monoclonal antibody (Product #MA5-32715) at a dilution of 1:1,000. Positive control: Lane1: Jurkat, Lane 2: MCF-7, Lane 3: HT-29.



#### PKC epsilon Antibody (MA5-32715) in ICC/IF

Immunocytochemical analysis of PKC epsilon in Hela cells using a PKC epsilon Monoclonal antibody (Product # MA5-32715) as seen in green. The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.



## PKC epsilon Antibody (MA5-32715) in ICC/IF

Immunocytochemical analysis of PKC epsilon in 293T cells using a PKC epsilon Monoclonal antibody (Product # MA5-32715) as seen in green. The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.

## View more figures on thermofisher.cn

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ('Documentation'). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods not extend to anyone other than the Buyer. Any model or sample in merely illustrative of the general type and quality of goods not extend to anyone other than the Buyer. Any model or sample in merely illustrative of the general type and quality of goods not extend to anyone other than the Buyer. Any model or sample in merely illustrative of the general type and quality of goods not extend to anyone other than the Buyer. Any model or sample intended or sample intended to sample furnished to to samp