Performance guarenteed

# **CRLS1 Polyclonal Antibody**

# **Product Details**

Size	100 µL
Species Reactivity	Human, Mouse, Rat
Host/Isotype	Rabbit / IgG
Class	Polyclonal
Туре	Antibody
Conjugate	Unconjugated
Immunogen	A synthesized peptide derived from human CRLS1(Accession Q9UJA2), corresponding to amino acid residues M197-A247.
Form	Liquid
Concentration	1 mg/mL
Purification	Affinity chromatography
Storage buffer	PBS, pH 7.4, with 50% glycerol
Contains	0.02% sodium azide
Storage conditions	-20°C
RRID	AB_2815667


Applications	Tested Dilution	Publications
Western Blot (WB)	1:500-1:2,000	-
Immunohistochemistry (Paraffin) (IHC (P))	1:50-1:200	-
Immunocytochemistry (ICC/IF)	1:100-1:500	-

## **Product Specific Information**

Antibody detects endogenous levels of total CRLS1.


1

# Product Images For CRLS1 Polyclonal Antibody




#### CRLS1 Antibody (PA5-100137) in WB

Western blot analysis of CRLS1 in various samples (Lane 1: Pc12 treated with blocking peptide, Lane 2: Pc12, Lane 3: 3t3). Samples were incubated with CRLS1 polyclonal antibody (Product # PA5-100137).



### CRLS1 Antibody (PA5-100137) in ICC/IF

Immunofluorescent analysis of CRLS1 in HeLa cells. Samples were fixed with paraformaldehyde, permeabilized with 0.1% Triton X-100, blocked with 10% serum (45 min at 25°C), incubated with mouse anti-beta tubulin and CRLS1 polyclonal antibody (Product # PA5-100137) using a dilution of 1:200 (1 hr, 37° C), and followed by goat anti-rabbit IgG Alexa Fluor 594 (red) and goat anti-mouse IgG Alexa Fluor 488 (green).



#### CRLS1 Antibody (PA5-100137) in ICC/IF

Immunofluorescent analysis of CRLS1 in HeLa cells. Samples were fixed with paraformaldehyde, permeabilized with 0.1% Triton X-100, blocked with 10% serum (45 min at 25°C) incubated with CRLS1 polyclonal antibody (Product # PA5-100137) using a dilution of 1:200 (1 hr, 37°C), and followed by goat antirabbit IgG Alexa Fluor 594 at a dilution of 1:600.

#### View more figures on thermofisher.cn

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrate of the general type and quality of goods and does not represent that any Product will conform to such model or sample. No OTHER WARRANTIES, EXPRESS OR IMPLED, ARER CRANTED INCLUDING WITHOUT LIMITATION, IMPLED WARRANTIES OF MERCHANTABILITY. THRESS FOR ANY PARTICULAR PURPROSE, OR NON INFRINGEMENT. BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS OUTING THE WARRANTY PERIOD IS UNITED TO REPAIR, REPLACEMENT OF OR REFUND FOR THE NON-CONFORMING PRODUCTS) AS THERE IS ON OBLIGATION TO FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE NON-CONFORMING PRODUCTS). A MANNER FOR EVENT OF FOR CENT. THERE IS NO OBLIGATION TO FORCE MAJEURE, (III) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE NON-CONFORMING PRODUCTS) AS THERE WORD DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE RODUCTS. Unless otherwise expressing stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo thrapeutic uses, or any type of consumption by or application to human or animals.