



DDX3Y Polyclonal Antibody

100 μL
Human, Mouse, Rat
Hamster
Rabbit / IgG
Polyclonal
Antibody
Unconjugated
Recombinant fragment corresponding to a region within amino acids 70 and 346 of DDX3 (Uniprot ID#O15523)
Liquid
0.89 mg/mL
Antigen affinity chromatography
PBS, pH 7, with 20% glycerol
0.01% thimerosal
Store at 4°C short term. For long term storage, store at -20°C, avoiding freeze/thaw cycles.
AB_11152407

Applications	Tested Dilution	Publications
Western Blot (WB)	1:1,000-1:10,000	1 Publication
Immunocytochemistry (ICC/IF)	1:100-1:1,000	-


Product Specific Information

Recommended positive controls: H1299, HepG2, mouse brain, rat testis, Jurkat, Raji, NCI-H929.

Predicted reactivity: Mouse (95%), Rat (94%), Rhesus Monkey (99%), Chimpanzee (97%), Bovine (94%).


Store product as a concentrated solution. Centrifuge briefly prior to opening the vial.

Product Images For DDX3Y Polyclonal Antibody




DDX3Y Antibody (PA5-22050) in WB

Western Blot using DDX3Y Polyclonal Antibody (Product # PA5-22050). Sample (30 µg of whole cell lysate). A: H1299. B: Hep G2. 7.5% SDS PAGE. DDX3Y Polyclonal Antibody (Product # PA5-22050) diluted at 1:10,000.



DDX3Y Antibody (PA5-22050) in ICC/IF

Immunofluorescence analysis of paraformaldehyde-fixed HeLa, using DDX3 antibody (Product # PA5-22050) at 1:200 dilution.



DDX3Y Antibody (PA5-22050) in WB

Western Blot using DDX3Y Polyclonal Antibody (Product # PA5-22050). Sample (50 µg of whole cell lysate). Lane A: Mouse brain . 7.5% SDS PAGE. DDX3Y Polyclonal Antibody (Product # PA5-22050) diluted at 1:1,000.

View more figures on thermofisher.cn

□ 1 Reference

Western Blot (1)

PloS one

Cellular proteins associated with the interior and exterior of vesicular stomatitis virus virions.

virions."

Authors: Moerdyk-Schauwecker M,Hwang SI,Grdzelishvili VZ

"PA5-22050 was used in western blot to determine the localization of host proteins within vesicular stomatitis virus virions."

Year 2015

Species Hamster

For Research Use Only, Not for use in diagnostic procedures. Not for resale without express authorization, Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"), No claim of suitability for use in applications required by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTIES, EXPRESS OR IMPLED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINGEMENT.

BUYER'S EXCLUSIVE EMBEDY FOR NON-CORPORMING PRODUCTS DURING THE WARRANTY PERIOD IS LIMITED. REPLIAN DEPLIAN EXPRESS OLS OF TION. THERE IS NO AGAIN TO REPLIAN FOR THE NON-CONFORMING PRODUCTS, SAT SELLERS'S SOLE OF TION. THERE IS NO AGAIN TO REPLIAN EXPRESS OLS OF TION. THERE IS NO AGAIN TO REPLIAN EXPRESS OLS OF TION. THERE IS NO AGAIN TO REPLIAN EXPRESS OLS OF TION. THERE IS NO AGAIN TO REPLIAN EXPRESS OLS OF TION. THERE IS NO AGAIN TO THE CANADIST OF THE PRODUCTS AS THE RESULT OF (I) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, or vitro of consumption to human or antimized to human or antimized.