Performance guarenteed'



Product Details

| Size | 100 μL |
|--------------------|---|
| Species Reactivity | Human, Mouse, Rat |
| Host/Isotype | Rabbit / IgG |
| Class | Polyclonal |
| Туре | Antibody |
| Conjugate | Unconjugated |
| Immunogen | A synthetic peptide corresponding to a sequence within amino acids 873-972 of human CD115/CSF-1R (NP_005202.2). |
| Form | liquid |
| Concentration | 0.56 mg/mL |
| Purification | Affinity Chromatography |
| Storage buffer | PBS, pH 7.3, with 50% glycerol |
| Contains | 0.01% thimerosal |
| Storage conditions | -20° C, Avoid Freeze/Thaw Cycles |
| RRID | AB_2806319 |
| | |

| Applications | Tested Dilution | Publications |
|------------------------------|-----------------|--------------|
| Western Blot (WB) | 1:500-1:1,000 | - |
| Immunocytochemistry (ICC/IF) | 1:50-1:200 | - |


Product Specific Information

Positive Samples: K-562, Jurkat; Cellular Location: Cell membrane, Single-pass type I membrane protein

Immunogen sequence: YQMAQPAFAP KNIYSIMQAC WALEPTHRPT FQQICSFLQE QAQEDRRERD YTNLPSSSRS GGSGSSSSEL EEESSSEHLT CCEQGDIAQP LLQPNNYQFC


Product Images For CSF1R Polyclonal Antibody

1



CSF1R Antibody (PA5-91896) in WB

Western blot analysis of CSF1R in extracts of various cell lines. Samples were incubated with CSF1R Polyclonal antibody (Product # PA5-91896) using a dilution of 1:1,000, followed by HRP Goat Anti-Rabbit IgG (H+L) at a dilution of 1: 10,000. Lysates/proteins: 25 µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 5s.




CSF1R Antibody (PA5-91896) in ICC/IF

Immunofluorescence analysis of CSF1R in mouse bone marrow cells. Samples were incubated with CSF1R Polyclonal antibody (Product # PA5-91896) using a dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.

CSF1R Antibody (PA5-91896) in ICC/IF

Immunofluorescence analysis of CSF1R in mouse bone marrow cells. Samples were incubated with CSF1R Polyclonal antibody (Product # PA5-91896) using a dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.



View more figures on thermofisher.cn

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by property trained individual. Unless otherwise stated in the Documentation, this warranty gear from date of or sample functiones of simple time the roduct is subject to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample invited to any entry of the property trained individual. Proceeding the Documentation, this warranty does not extend to anyone other than the Buyer. Any model or sample invite of the general type and quality of goods and does not represent that any Product will conform to such model or sample invite WARRANTIES, EXPRESS OR IMPLED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINGEMENT. BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING THE WARRANTY PERIOD IS LUMITED TO REPAIR, REPLACEMENT OF OR REFUND FOR THE NON-CONFORMING PRODUCTS) AS THE RESULT OF (I) ACCIDENT, DISASTER OR EVENT OF FOR CEMAJEURE, (III) USE OF THE NON-CONFORMING PRODUCTS IN A MANNER FOR EVENT OF FOR CEMAJEURE, (III) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo therapeutic uses, or any type of consumption by or application to hum