Performance guarenteed

HAO1 Polyclonal Antibody

Product Details

Size	100 μL
Species Reactivity	Human, Mouse, Rat
Host/Isotype	Rabbit / IgG
Class	Polyclonal
Туре	Antibody
Conjugate	Unconjugated
Immunogen	Recombinant fusion protein containing a sequence corresponding to amino acids 1-370 of human HAO1/GOX (NP_0600151)
Form	Liquid
Concentration	2.74 mg/mL
Purification	Affinity Chromatography
Storage buffer	PBS, pH 7.3, with 50% glycerol
Contains	0.02% sodium azide
Storage conditions	-20° C, Avoid Freeze/Thaw Cycles
RRID	AB_2806582


Applications	Tested Dilution	Publications
Western Blot (WB)	1:500-1:2,000	-
Immunohistochemistry (Paraffin) (IHC (P))	1:50-1:200	-
Immunocytochemistry (ICC/IF)	1:50-1:200	-

Product Specific Information

Immunogen sequence: MLPRLICIND YEQHAKSVLP KSIYDYYRSG ANDEETLADN IAAFSRWKLY PRMLRNVAET DLSTSVLGQR VSMPICVGAT AMQRMAHVDG ELATVRACQS LGTGMMLSSW ATSSIEEVAE AGPEALRWLQ LYIYKDREVT KKLVRQAEKM GYKAIFVTVD TPYLGNRLDD VRNRFKLPPQ LRMKNFETST LSFSPEENFG DDSGLAAYVA KAIDPSISWE DIKWLRRLTS LPIVAKGILR GDDAREAVKH GLNGILVSNH GARQLDGVPA TIDVLPEIVE AVEGKVEVFL DGGVRKGTDV LKALALGAKA VFVGRPIVWG LAFQGEKGVQ DVLEILKEEF RLAMALSGCQ NVKVIDKTLV RKNPLAVSKI; Positive Samples: Mouse liver, Rat liver; Cellular Location: Peroxisome


Product Images For HAO1 Polyclonal Antibody

1




HAO1 Antibody (PA5-93000) in WB

Western blot analysis of HAO1 in extracts of various cell lines. Samples were incubated with HAO1 Polyclonal antibody (Product # PA5-93000) using a dilution of 1:500, followed by HRP Goat Anti-Rabbit IgG (H+L) at a dilution of 1:10,000. Lysates/proteins: 25 μ g per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 90s.



HAO1 Antibody (PA5-93000) in ICC/IF

Immunofluorescence analysis of HAO1 in rat liver cells. Samples were incubated with HAO1 Polyclonal antibody (Product # PA5-93000) using a dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.



HAO1 Antibody (PA5-93000) in IHC (P)

Immunohistochemistry analysis of HAO1 in paraffin-embedded human liver cancer. Samples were incubated with HAO1 Polyclonal antibody (Product # PA5-93000) using a dilution of 1:200 (40x lens). Perform microwave antigen retrieval with 10 mM PBS buffer pH 7.2 before commencing with IHC staining protocol.

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is performed to erample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. No OTHER WARRANTES, EXPRESS OR INNERLD, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTES OF MERCHANTABILITY, ITHESS FOR ANY PARTICURS DURING THE WARRANT PERIOD IS LIMITED TO REPAR, REPLACEMENT OF OR REFUND FOR THE RON-CONFORMING PRODUCTS DURING THE WARRANT PERIOD IS LIMITED TO REPAR, REPLACEMENT OF OR REFUND FOR THE RESOLD OF THE RON-CONFORMING PRODUCTS AS THE RESULT OF (I) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLICENCE OF OR BY BUYER, (III) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Not have supressly stated on the Product in the documentation or animals.