



COX4 Polyclonal Antibody


Product Details		
Size	100 μg	
Species Reactivity	Human, Mouse, Rat	
Host/Isotype	Rabbit / IgG	
Class	Polyclonal	
Туре	Antibody	
Conjugate	Unconjugated	
Immunogen	E.coli-derived human COX IV recombinant protein (Position: Q59-K169).	
Form	Lyophilized	
Concentration	500 μg/mL	
Purification	Affinity chromatography	
Storage buffer	PBS with 4mg trehalose	
Contains	0.05mg sodium azide	
Storage conditions	Store at 4°C short term. For long term storage, store at -20°C, avoiding freeze/thaw cycles.	
RRID	AB_2807321	

Applications	Tested Dilution	Publications
Western Blot (WB)	0.1-0.5 μg/mL	-
Immunohistochemistry (Paraffin) (IHC (P))	0.5-1 μg/mL	-
Immunocytochemistry (ICC/IF)	2 μg/mL	-
Flow Cytometry (Flow)	1-3 µg/1x10^6 cells	-
ELISA (ELISA)	0.1-0.5 μg/mL	-

Product Specific Information


Reconstitute with 0.2 mL of distilled water to yield a concentration of 500 $\mu g/mL$.

Product Images For COX4 Polyclonal Antibody




COX4 Antibody (PA5-95519) in ICC/IF

Immunocytochemistry analysis of COX IV using anti-COX IV antibody (Product # PA5-95519). COX IV was detected in a section of U2OS cells. Enzyme antigen retrieval was performed using IHC enzyme antigen retrieval reagent for 15 mins. The cells were blocked with 10% goat serum and then incubated with 2g/mL rabbit anti-COX IV antibody (Product # PA5-95519) overnight at 4°C. Cy3 Conjugated Goat Anti-Rabbit IgG was used as secondary antibody at 1:100 dilution and incubated for 30 minutes at 37°C. The section was counterstained with DAPI. Visualize using a fluorescence microscope and filter sets appropriate for the label used.



COX4 Antibody (PA5-95519) in WB

Western blot analysis of COX4 in Lane 1: human HepG2 whole cell lysates, Lane 2: human SGC-7901 whole cell lysates. Electrophoresis was performed with 5-20% SDS-PAGE gel (70V, Stacking gel; 90V Resolving gel, Time: 2-3 hours), transferred to a nitrocellulose membrane and blocked using 5% Non-fat Milk/TBS (1.5 hrs at room temperature). Samples were incubated with COX4 polyclonal antibody (Product # PA5-95519) using a 0.5 μ g/mL dilution, followed by a goat anti-rabbit IgG-HRP at a dilution of 1:10,000, and developed with enhanced chemiluminescence (ECL).



COX4 Antibody (PA5-95519) in WB

Western blot analysis of COX4 in Lane 1: rat heart tissue lysates, Lane 2: mouse heart tissue lysates. Electrophoresis was performed with 5-20% SDS-PAGE gel (70V, Stacking gel; 90V Resolving gel, Time: 2-3 hours), transferred to a nitrocellulose membrane and blocked using 5% Non-fat Milk/TBS (1.5 hrs at room temperature). Samples were incubated with COX4 polyclonal antibody (Product # PA5-95519) using a 0.5 μ g/mL dilution, followed by a goat anti-rabbit IgG-HRP at a dilution of 1:10,000, and developed with enhanced chemiluminescence (ECL).

View more figures on thermofisher.cn

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTIES, EXPERESS OR IMPLEA REPRESS OR IMPLEA REGRANTED INITY, IMPLIED WARRANTIES, EXPERESS OR IMPLEA REPRESS OR IMPLEAD IN INITY, INTERIST SOR ANY PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR ANY PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR ANY PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR ANY PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR ANY PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR ANY PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR ANY PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR ANY PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR ANY PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR ANY PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR ANY PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR ANY PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR AND INTERIST. AND INTERIST SOR AND INTERIST. AND INTERIST, INTERIST SOR AND INTERIST, INTERIST, INTERIST, IN