




NPAS4 Polyclonal Antibody

Product Details	
Size	100 μg
Species Reactivity	Human
Host/Isotype	Rabbit / IgG
Class	Polyclonal
Туре	Antibody
Conjugate	Unconjugated
Immunogen	Recombinant Human Neuronal PAS domain-containing protein 4 protein (445-585AA)
Form	Liquid
Concentration	3.505 mg/mL
Purification	Protein G
Storage buffer	PBS, pH 7.4, with 50% glycerol
Contains	0.03% ProClin 300
Storage conditions	-20°C or -80°C if preferred
RRID	AB_2813216


Applications	Tested Dilution	Publications
Western Blot (WB)	1:500-1:5,000	-
Immunohistochemistry (Paraffin) (IHC (P))	1:200-1:500	-
ELISA (ELISA)	Assay-Dependent	-

Product Images For NPAS4 Polyclonal Antibody




NPAS4 Antibody (PA5-98603) in IHC (P)

Immunohistochemical analysis of NPAS4 in paraffin embedded human brain tissue using a NPAS4 polyclonal antibody (Product # PA5-98603) at a dilution of 1:300. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4°C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.



NPAS4 Antibody (PA5-98603) in IHC (P)

Immunohistochemical analysis of NPAS4 in paraffin embedded human melanoma using a NPAS4 polyclonal antibody (Product # PA5-98603) at a dilution of 1:300. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4°C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.



NPAS4 Antibody (PA5-98603) in WB

Western Blot analysis of NPAS4 using a NPAS4 Polyclonal antibody (Product # PA5-98603) at a concentration of 7 μ g/mL. Positive WB detected in: SH-SY5Y whole cell lysate. A secondary Goat polyclonal antibody to rabbit IgG was applied at a 1:50,000 dilution. Observed band size: 88 kDa.

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. No OTHER WARRANTIES, EXPERESS OR IMPLETS ARE GRANTEED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, ETITHSES FOR ANY PARTICULAR PARTICULAR TYPENESS OR INFRIENCES OR INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, ETITHSES FOR ANY PARTICULAR PARTICULAR TYPENESS OR INFRIENCES OR INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, ETITHSES FOR ANY PARTICULAR PARTICULAR TYPENESS OR INFRIENCES OR INFR