## Rat IgG2a kappa Isotype Control (eBR2a), Biotin, eBioscience™

## **Product Details**

Size100 μgHost/IsotypeRat / IgG2a, kappaClassControlTypeIsotype ControlCloneeBR2aConjugateBiotinFormLiquidConcentration0.5 mg/mLPurificationAffinity chromatographyStorage bufferPBS, pH 7.2Contains0.09% sodium azideStorage conditions4° C, store in dark, DO NOT FREEZE!RRIDAB_470084		
ClassControlTypeIsotype ControlCloneeBR2aConjugateBiotinFormLiquidConcentration0.5 mg/mLPurificationAffinity chromatographyStorage bufferPBS, pH 7.2Contains0.09% sodium azideStorage conditions4° C, store in dark, DO NOT FREEZE!	Size	100 µg
TypeIsotype ControlCloneeBR2aConjugateBiotinFormLiquidConcentration0.5 mg/mLPurificationAffinity chromatographyStorage bufferPBS, pH 7.2Contains0.09% sodium azideStorage conditions4° C, store in dark, DO NOT FREEZE!	Host/Isotype	Rat / IgG2a, kappa
CloneeBR2aConjugateBiotinFormLiquidConcentration0.5 mg/mLPurificationAffinity chromatographyStorage bufferPBS, pH 7.2Contains0.09% sodium azideStorage conditions4° C, store in dark, DO NOT FREEZE!	Class	Control
ConjugateBiotinFormLiquidConcentration0.5 mg/mLPurificationAffinity chromatographyStorage bufferPBS, pH 7.2Contains0.09% sodium azideStorage conditions4° C, store in dark, DO NOT FREEZE!	Туре	Isotype Control
FormLiquidConcentration0.5 mg/mLPurificationAffinity chromatographyStorage bufferPBS, pH 7.2Contains0.09% sodium azideStorage conditions4° C, store in dark, DO NOT FREEZE!	Clone	eBR2a
Concentration0.5 mg/mLPurificationAffinity chromatographyStorage bufferPBS, pH 7.2Contains0.09% sodium azideStorage conditions4° C, store in dark, DO NOT FREEZE!	Conjugate	Biotin
PurificationAffinity chromatographyStorage bufferPBS, pH 7.2Contains0.09% sodium azideStorage conditions4° C, store in dark, DO NOT FREEZE!	Form	Liquid
Storage bufferPBS, pH 7.2Contains0.09% sodium azideStorage conditions4° C, store in dark, DO NOT FREEZE!	Concentration	0.5 mg/mL
Contains0.09% sodium azideStorage conditions4° C, store in dark, DO NOT FREEZE!	Purification	Affinity chromatography
Storage conditions 4° C, store in dark, DO NOT FREEZE!	Storage buffer	PBS, pH 7.2
	Contains	0.09% sodium azide
RRID AB_470084	Storage conditions	4° C, store in dark, DO NOT FREEZE!
	RRID	AB_470084

Applications	Tested Dilution	Publications
Immunohistochemistry (Paraffin) (IHC (P))	Assay-dependent	-
Immunocytochemistry (ICC/IF)	5 μg/mL	-
Flow Cytometry (Flow)	Assay-Dependent	0 Publication
Functional Assay (FN)	-	0 Publication
Control (Ctrl)	Assay-Dependent	-

## **Product Specific Information**

Description: The monoclonal rat IgG2a, kappa is useful as an isotype control immunoglobulin.


Applications Reported: This rat IgG2a isotype control has been reported for use in immunocytochemistry, immunohistochemistry, flow cytometric analysis, and ELISA.

Applications Tested: This rat IgG2a isotype control has been used by flow cytometric analysis of mouse splenocyte suspension and should be used at the same concentration as the experimental antibody.

Filtration: 0.2 µm post-manufacturing filtered.

1

## Product Images For Rat IgG2a kappa Isotype Control (eBR2a), Biotin, eBioscience™



## Rat IgG2a kappa Isotype Control (13-4321-82) in ICC/IF

Rat IgG2a kappa Isotype Control (13-4321-82) in Flow

Immunocytochemistry of fixed and permeabilized C2C12 cells stained with 5 µg /mL of Rat IgG2a K Isotype Control Biotin (left) or 5 µg/mL of Anti-Mouse/Rat Ki-67 Biotin (right) followed by Streptavidin FITC. Nuclei are stained with DAPI, colocalization of signal with DAPI appears aqua.

BALB/c mouse bone marrow cells were stained with Ly-6C Monoclonal Antibody,

Alexa Fluor 488 (Product # 53-5932-82), and 0.125 µg of Rat IgG2a kappa Isotype Control, Biotin (Product # 13-4321-85) (left) or 0.125 µg of Ly-6G Monoclonal Antibody, Biotin (right) followed by Streptavidin, PE (Product # 12-

# Rat IgG2a Biotir y-6G Biotin I v-6C Alexa Fluor 488

Lv-6C Alexa Fluor 488

## Rat IgG2a kappa Isotype Control (13-4321-82) in IHC (P)

4317-87). All cells were used for analysis.

Immunohistochemistry of formalin-fixed paraffin embedded human tonsil tissue using low pH antigen retrieval and stained with 20 µg/mL Rat IgG2a K Isotype Control Biotin (left) or 20 µg/mL Anti-Human/Mouse Activation-Induced Cytidine Deaminase (AID) Biotin (right) followed by Avidin HRP and DAB visualization. Nuclei are counterstained with hematoxylin.

## View more figures on thermofisher.cn

## □ 14 References

Therapeutic potential of FLT4-targeting peptide in acute myeloid leukemia. Cancer Immunol Immunother (2023)

Therapeutic potential of FLT4-targeting peptide in acute myeloid leukemia Research Square (2022)

Peptides Targeting Fms-Related Tyrosine Kinase-4 Activate the Function of Natural Killer Cells in Acute Myeloid Leukemia. Int J Stem Cells (2021)

Cytotoxic T cells swarm by homotypic chemokine signalling. Elife (2020)

Enhancing vaccine antibody responses by targeting Clec9A on dendritic cells. NPJ Vaccines (2017)

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This waranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTIES, EXPRESS OR IMPLED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINGEMENT. The properties that any Product will contom to such model or sample. No Origet Warkhan (E), EARESS OK INFERDED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARKHAN (E) OF MERCHANTABLIT, FITNESS FURCHARTABLIT, FITNESS FURCHA diagnostic uses, ex vivo or in vivo therapeutic uses, or any type of consumption by or application to human or animals