Performance guarenteed

CD64 Monoclonal Antibody (10.1), FITC, eBioscience™

Product Details

| Troduct Details | |
|--------------------------------|---|
| Size | 100 Tests |
| Species Reactivity | Human |
| Published Species | Human |
| Host/Isotype | Mouse / IgG1, kappa |
| Recommended Isotype Control | Mouse IgG1 kappa Isotype Control (P3.6.2.8.1), FITC, eBioscience™ |
| Class | Monoclonal |
| Туре | Antibody |
| Clone | 10.1 |
| Conjugate | FITC |
| Excitation/Emission Max | 498/517 nm |
| Form | Liquid |
| Concentration | 5 µL/Test |
| Purification | Affinity chromatography |
| Storage buffer | PBS, pH 7.2, with 0.2% BSA |
| Contains | 0.09% sodium azide |
| Storage conditions | 4° C, store in dark, DO NOT FREEZE! |
| RRID | AB_10544395 |
| | |

| Applications | Tested Dilution | Publications |
|----------------------------|------------------|----------------|
| Immunohistochemistry (IHC) | - | 1 Publication |
| Flow Cytometry (Flow) | 5 μL (1 μg)/test | 8 Publications |

Product Specific Information

Description: The 10.1 monoclonal antibody reacts with human CD64 (FcRI), a 75 kDa type I transmembrane protein. CD64 is the high affinity receptor for IgG and is involved in antibody-dependent cell-mediated cytotoxicity (ADCC), phagocytosis, and regulation of cytokine production. Monocytes and macrophages express CD64, while mature granulocytes and lymphocytes are negative.

Applications Reported: The 10.1 antibody has been reported for use in flow cytometric analysis.


Applications Tested: This 10.1 antibody has been pre-titrated and tested by flow cytometric analysis of normal human peripheral blood cells. This can be used at 5 μ L (1 μ g) per test. A test is defined as the amount (μ g) of antibody that will stain a cell sample in a final volume of 100 μ L. Cell number should be determined empirically but can range from 10^5 to 10^8 cells /test.

Excitation: 488 nm; Emission: 520 nm; Laser: Blue Laser.

Filtration: 0.2 µm post-manufacturing filtered.

1

Product Images For CD64 Monoclonal Antibody (10.1), FITC, eBioscience™



CD64 Antibody (11-0649-42) in Flow

Staining of normal human peripheral blood cells with Mouse IgG1 kappa Isotype Control FITC (Product # 11-4714-42) (blue histogram) or Anti-Human CD64 (Fc gamma Receptor 1) FITC (purple histogram). Cells in the monocyte gate were used for analysis.

View more figures on thermofisher.cn

9 References

Immunohistochemistry (1)

| "11-0649 was used in Flow cytometry/Cell sorting to show that targeting M1 macrophages through CD64 can be instrumental in novel strategies for chronic inflammatory conditions." Authors: Hristodorov D,Mladenov R,von Felbert V,Huhn M,Fischer R,Barth S,Thepen T | Species Human Dilution 1:40 |
|--|--------------------------------------|
| Flow Cytometry (8) | |
| Cancers Murlentamab, a Low Fucosylated Anti-Müllerian Hormone Type II Receptor (AMHRII) Antibody, Exhibits Anti-Tumor Activity through Tumor-Associated Macrophage Reprogrammation and T Cell Activation. | Year 2021 |
| "Published figure using CD64 monoclonal antibody (Product # 11-0649-42) in Flow Cytometry" Authors: Prat M,Salon M,Allain T,Dubreuil O,Noël G,Preisser L,Jean B,Cassard L,Lemée F,Tabah-Fish I,Pipy B, Jeannin P,Prost JF,Barret JM,Coste A | |
| Cardiovascular therapeutics | Year |
| Extracorporeal Hemadsorption versus Glucocorticoids during | 2020 |
| Cardiopulmonary Bypass: A Prospective, Randomized, Controlled Trial. | Species |
| "Published figure using CD64 monoclonal antibody (Product # 11-0649-42) in Flow Cytometry" Authors: Taleska Stupica G.Sostaric M.Bozhinovska M.Rupert L.Bosnic Z.Jerin A.Ihan A.Klokocovnik T.Podbregar M | Human |

View more Flow references on thermofisher.cn

More applications with references on thermofisher.cn

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product till conform to such model or sample. No OTHER WARRANTES, EXPRESS OR IMPLED, ARER CRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTTES OF MERCHANTABILITY. THRESS FOR ANY PARTICULAR PUPRENESS OR IMPLED, ARER CRANTED INCLUDING WITHOUT LIMITATION, MIPLIED WARRANTIES OF MERCHANTABILITY. THRESS FOR ANY PARTICULAR PUPRENESS OR IMPLED, ARE CRANTED INCLUDING WITHOUT LIMITATION, MIPLIED WARRANTIES OF MERCHANTABILITY. THRESS FOR ANY PARTICULAR PUPRENES, CRANTE PRIVE OF OR REFUND FOR REFUND FOR THE NON-CONFORMING PRODUCT(S) AT SELLER'S SOLE OPTION. THERE IS NO OBLIGATION TO REPAIR, REPLACE OR REFUND FOR REPOLDED TO THE NON-CONFORMING PRODUCT(S) AT SELLER'S SOLE OPTION. THERE IS NO OBLIGATION TO REPAIR, REPLACE OR REFUND FOR THE NON-CONFORMING PRODUCT(S) AT SELLER'S SOLE OPTION. THERE IS NO OBLIGATION TO REPAIR, REPLACE OF OR BY BUYER, (III) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Not A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AN