

# TCR beta Monoclonal Antibody (H57-597), FITC, eBioscience™

Product Details	
Size	100 µg
Species Reactivity	Mouse
Published Species	Mouse, Human
Host/Isotype	Armenian hamster / IgG
Recommended Isotype Control	Armenian Hamster IgG Isotype Control (eBio299Arm), FITC, eBioscience™
Class	Monoclonal
Type	Antibody
Clone	H57-597
Conjugate	FITC
Excitation/Emission Max	498/517 nm
Form	Liquid
Concentration	0.5 mg/mL
Purification	Affinity chromatography
Storage buffer	PBS, pH 7.2
Contains	0.09% sodium azide
Storage conditions	4° C, store in dark, DO NOT FREEZE!
RRID	AB_465323

Applications	Tested Dilution	Publications
Western Blot (WB)	-	1 Publication
Immunohistochemistry (IHC)	-	1 Publication
Flow Cytometry (Flow)	0.5 µg/test	82 Publications
Miscellaneous PubMed (Misc)	-	1 Publication

## Product Specific Information

Description: The H57-597 monoclonal antibody reacts with the beta chain of mouse TCR. TCR beta is expressed by thymocytes in a developmentally regulated manner and a majority of peripheral T cells. Crosslinking of the TCR complex with H57-597 induces activation and proliferation of T cells or apoptosis based on assay conditions. H57-597 is used as a phenotypic marker for TCR beta expressing T cells.


Applications Reported: The H57-597 antibody has been reported for use in flow cytometric analysis.

Applications Tested: The H57-597 antibody has been tested by flow cytometric analysis of mouse thymocytes and splenocytes. This can be used at less than or equal to 0.5 µg per test. A test is defined as the amount (µg) of antibody that will stain a cell sample in a final volume of 100 µL. Cell number should be determined empirically but can range from 10^5 to 10^8 cells/test. It is recommended that the antibody be carefully titrated for optimal performance in the assay of interest.

Excitation: 488 nm; Emission: 520 nm; Laser: Blue Laser.

Filtration: 0.2 µm post-manufacturing filtered.

Product Images For TCR beta Monoclonal Antibody (H57-597), FITC, eBioscience™



**TCR beta Antibody (11-5961-82) in Flow**  
Staining of BALB/c splenocytes with Anti-Mouse CD4 APC (Product # 17-0041-82) and 0.25 µg of Armenian Hamster IgG Isotype Control FITC (Product # 11-4888-81) (left) or 0.25 µg of Anti-Mouse TCR beta FITC (right). Total viable cells were used for analysis.

View more figures on [thermofisher.cn](https://thermofisher.cn)

85 References

Western Blot (1)

Cell death & disease	Year 2012
<b>Overexpression of Uromodulin-like1 accelerates follicle depletion and subsequent ovarian degeneration.</b>	Species Mouse
"Published figure using TCR beta monoclonal antibody (Product # 11-5961-82) in Immunofluorescence"	
Authors: Wang W,Tang Y,Ni L,Kim E,Jongwutiwes T,Hourvitz A,Zhang R,Xiong H,Liu HC,Rosenwaks Z	

Immunohistochemistry (1)

Cell death & disease	Year 2012
<b>Overexpression of Uromodulin-like1 accelerates follicle depletion and subsequent ovarian degeneration.</b>	Species Mouse
"Published figure using TCR beta monoclonal antibody (Product # 11-5961-82) in Immunofluorescence"	
Authors: Wang W,Tang Y,Ni L,Kim E,Jongwutiwes T,Hourvitz A,Zhang R,Xiong H,Liu HC,Rosenwaks Z	

Flow Cytometry (82)

Frontiers in immunology	Year 2022
<b>P140 Peptide Leads to Clearance of Autoreactive Lymphocytes and Normalizes Immune Response in Lupus-Prone Mice.</b>	Species Mouse
"11-5961-82 was used in Flow cytometry/Cell sorting to suggest that P140 belongs to a new family of non-immunosuppressive immunoregulators that do not correct T and B cell abnormalities but rather contribute to the clearance of deleterious T and B cells."	
Authors: Schall N,Talamini L,Wilhelm M,Jouvin-Marche E,Muller S	

European journal of immunology	Year 2021
<b>Peptidylprolyl isomerase C (Ppic) regulates invariant Natural Killer T cell (iNKT) differentiation in mice.</b>	Species Mouse
"11-5961-82 was used in Flow Cytometry to show that Ppic is dispensable for myeloid cells, platelets, erythrocytes, and T lymphocytes in vivo in the steady state, while being involved in B and iNKT cell differentiation."	
Authors: Paiva RS,Ramos CV,Azenha SR,Alves C,Basto AP,Graca L,Martins VC	

View more Flow references on [thermofisher.cn](https://thermofisher.cn)

More applications with references on [thermofisher.cn](https://thermofisher.cn)

Misc (1)

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTIES, EXPRESS OR IMPLIED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINGEMENT. BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING THE WARRANTY PERIOD IS LIMITED TO REPAIR, REPLACEMENT OF OR REFUND FOR THE NON-CONFORMING PRODUCT(S) AT SELLER'S SOLE OPTION. THERE IS NO OBLIGATION TO REPAIR, REPLACE OR REFUND FOR PRODUCTS AS THE RESULT OF (I) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo therapeutic uses, or any type of consumption by or application to human or animals.