

CD184 (CXCR4) Monoclonal Antibody (12G5), Functional Grade, eBioscience™

Product Details	
Size	50 µg
Species Reactivity	Human
Published Species	Human
Host/Isotype	Mouse / IgG2a, kappa
Recommended Isotype Control	Mouse IgG2a kappa Isotype Control (eBM2a), Functional Grade, eBioscience™
Class	Monoclonal
Type	Antibody
Clone	12G5
Conjugate	Functional Grade
Form	Liquid
Concentration	1 mg/mL
Purification	Affinity chromatography
Storage buffer	PBS, pH 7.2
Contains	no preservative
Storage conditions	4° C
RRID	AB_469311

Applications	Tested Dilution	Publications
Western Blot (WB)	-	3 Publications
Flow Cytometry (Flow)	0.5 µg/test	18 Publications
Neutralization (Neu)	Assay-Dependent	2 Publications
Functional Assay (FN)	Assay-Dependent	1 Publication
Miscellaneous PubMed (Misc)	-	1 Publication

Product Specific Information

Description: The 12G5 monoclonal antibody reacts with human CD184 (CXCR4), also termed Fusin, LESTR, or HUMSTR. CD184 is a member of the G-protein-coupled chemokine receptor family with seven membrane-spanning domains, and functions as a coreceptor for X4 HIV-1 entry into CD4+ cells. CD184 is expressed predominantly on naive T cell subsets of peripheral blood and is rapidly upregulated by PHA and IL-2 stimulation. The 12G5 antibody shows partial inhibition of chemotaxis and calcium influx induced by SDF-1 (the natural ligand of CD184), blocks CD4-independent HIV-2 infection, and blocks CD4-dependent infection by some T-tropic HIV-1 isolates.

Applications Reported: The 12G5 antibody has been reported for use in flow cytometric analysis. It has also been reported in blocking of CXCR4 in functional studies. (Fluorochrome-conjugated 12G5 is recommended for use in flow cytometry).

Applications Tested: The 12G5 antibody has been tested by flow cytometric analysis of normal human peripheral blood cells. This can be used at less than or equal to 0.5 µg per test. A test is defined as the amount (µg) of antibody that will stain a cell sample in a final volume of 100 µL. Cell number should be determined empirically but can range from 10⁵ to 10⁸ cells/test. It is recommended that the antibody be carefully titrated for optimal performance in the assay of interest.

Storage and handling: Use in a sterile environment.


Filtration: 0.2 µm post-manufacturing filtered.

Purity: Greater than 90%, as determined by SDS-PAGE.

Endotoxin Level: Less than 0.001 ng/µg antibody, as determined by LAL assay.

Aggregation: Less than 10%, as determined by HPLC.

Product Images For CD184 (CXCR4) Monoclonal Antibody (12G5), Functional Grade, eBioscience™



CD184 (CXCR4) Antibody (16-9999-81) in Flow
Staining of normal human peripheral blood cells with staining buffer (autofluorescence) (open histogram) or Anti-Human CD184 (CXCR4) PE-Cyanine5 (filled histogram). Cells in the lymphocyte gate were used for analysis.

[View more figures on thermofisher.cn](http://thermofisher.cn)

Western Blot (3)

<p>Biochemistry</p> <p>Antibody epitopes on g protein-coupled receptors mapped with genetically encoded photoactivatable cross-linkers.</p> <p>"Published figure using CD184 (CXCR4) monoclonal antibody (Product # 16-9999-81) in Western Blot"</p> <p>Authors: Ray-Saha S,Huber T,Sakmar TP</p>	<p>Year</p> <p>2014</p>
<p>Virology journal</p> <p>Human cytomegalovirus infection inhibits CXCL12- mediated migration and invasion of human extravillous cytotrophoblasts.</p> <p>"Published figure using CD184 (CXCR4) monoclonal antibody (Product # 16-9999-81) in Western Blot"</p> <p>Authors: Warner JA,Zwezdaryk KJ,Day B,Sullivan DE,Pridjian G,Morris CA</p>	<p>Year</p> <p>2012</p> <p>Species</p> <p>Human</p>

[View more WB references on thermofisher.cn](#)

Flow Cytometry (18)

<p>International journal of cancer</p> <p>Dynamics of CXCR4 positive circulating tumor cells in prostate cancer patients during radiotherapy.</p> <p>"Published figure using CD184 (CXCR4) monoclonal antibody (Product # 16-9999-81) in Flow Cytometry"</p> <p>Authors: Klusa D,Lohaus F,Franken A,Baumbach M,Cojoc M,Dowling P,Linge A,Offermann A,Löck S,Hušman D, Rivandi M,Polzer B,Freytag V,Lange T,Neubauer H,Kücken M,Perner S,Hölscher T,Dubrovskaya A,Krause M,Kurth I, Baumann M,Peitzsch C</p>	<p>Year</p> <p>2023</p>
<p>International journal of molecular sciences</p> <p>Airway and Lung Organoids from Human-Induced Pluripotent Stem Cells Can Be Used to Assess CFTR Conductance.</p> <p>"Published figure using CD184 (CXCR4) monoclonal antibody (Product # 16-9999-81) in Flow Cytometry"</p> <p>Authors: Demchenko A,Kondratieva E,Tabakov V,Efremova A,Salikhova D,Bukharova T,Goldshtein D,Balyasin M, Bulatenko N,Amelina E,Lavrov A,Smirnikhina S</p>	<p>Year</p> <p>2023</p>

[View more Flow references on thermofisher.cn](#)

More applications with references on thermofisher.cn

- Neu (2)
- FN (1)
- Misc (1)

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTIES, EXPRESS OR IMPLIED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINGEMENT. BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING THE WARRANTY PERIOD IS LIMITED TO REPAIR, REPLACEMENT OF OR REFUND FOR THE NON-CONFORMING PRODUCT(S) AT SELLER'S SOLE OPTION. THERE IS NO OBLIGATION TO REPAIR, REPLACE OR REFUND FOR PRODUCTS AS THE RESULT OF (I) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo therapeutic uses, or any type of consumption by or application to human or animals.