# **RhoGDI Polyclonal Antibody**


## **Product Details**

Size	100 µg
Species Reactivity	Bovine, Human, Mouse
Host/Isotype	Rabbit / IgG
Class	Polyclonal
Туре	Antibody
Conjugate	Unconjugated
Immunogen	A 25 amino acid synthetic peptide derived from the N-terminus of the human Rho-GDI-alpha protein. This sequence is identical to the bovine sequence.
Form	Liquid
Concentration	0.25 mg/mL
Purification	Antigen affinity chromatography
Storage buffer	PBS, pH 7.4
Contains	0.1% sodium azide
Storage conditions	-20°C
RRID	AB_2533895

Applications	Tested Dilution	Publications
Western Blot (WB)	1-3 µg/mL	-
Immunocytochemistry (ICC/IF)	2 µg/mL	-
ELISA (ELISA)	Assay-dependent	-
Immunoprecipitation (IP)	Assay-dependent	-


1

## Product Images For RhoGDI Polyclonal Antibody



#### RhoGDI Antibody (51-1000Z)

Antibody specificity was demonstrated by siRNA mediated knockdown of target protein. HeLa cells were transfected with RhoGDI siRNA and loss of signal was observed in Western Blot using Anti-RhoGDI Polyclonal Antibody (Product # 51-1000Z). {KD}



### RhoGDI Antibody (51-1000Z) in WB


Western blot analysis was performed on whole cell extracts (30 µg lysate) of MCF-7 (Lane 1), HeLa (Lane 2), HL-60 (Lane 3), K-562 (Lane 4), U-937 (Lane 5), THP-1 (Lane 6) and U-87 MG (Lane 7). The blot was probed with Anti-RhoGDI Rabbit Polyclonal Antibody (Product # 51-1000Z, 2 µg/mL) and detected by chemiluminescence using Goat anti-Rabbit IgG (H+L) Superclonal Secondary Antibody, HRP conjugate (Product # A28177, 0.25 µg/mL, 1:4000 dilution). A 28 kDa band corresponding to RhoGDI was observed across the cell lines and tissues tested. Known quantity of protein samples were electrophoresed using Novex®NuPAGE®4-12 % Bis-Tris gel (Product # NP0321BOX), XCell SureLock Electrophoresis System (Product # El0002) and Novex® Sharp Pre-Stained Protein Standard (Product # LC5800). Resolved proteins were then transferred onto a nitrocellulose membrane with iBlot® 2 Dry Blotting System (Product # IB21001). The membrane was probed with the relevant primary and secondary Antibody following blocking with 5 % skimmed milk. Chemiluminescent detection was performed using Pierce<sup>™</sup> ECL Western Blotting Substrate (Product # 32106).

#### RhoGDI Antibody (51-1000Z) in ICC/IF

Immunofluorescence analysis of RhoGDI Polyclonal Antibody was performed using 70% confluent log phase SH-SY5Y cells. The cells were fixed with 4% paraformaldehyde for 10 minutes, permeabilized with 0.1% Triton X-100 for 10 minutes, and blocked with 1% BSA for 1 hour at room temperature. The cells were labeled with RhoGDI Rabbit Polyclonal Antibody (Product # 51-1000Z) at 2 µg/mL in 0.1% BSA and incubated for 3 hours at room temperature and then labeled with Goat anti-Rabbit IgG (Heavy Chain) Superclonal Secondary Antibody, Alexa Fluor® 488 conjugate (Product # A27034) at a dilution of 1:2000 for 45 minutes at room temperature (Panel a: green). Nuclei (Panel b: blue) were stained with SlowFade® Gold Antifade Mountant with DAPI (Product # S36938). F-actin (Panel c: red) was stained with Rhodamine Phalloidin (Product # R415, 1: 300). Panel d represents the merged image showing cytoplasmic localization. Panel e shows the no primary antibody control. The images were captured at 60X magnification.

#### View more figures on thermofisher.cn

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuation. Unless otherwise stated in the Documentation, this warranty is package insert is used only when used by properly trained individuation the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample turnished to Supple turnished turnishes the supple turnished turnishe



2