


GFAP Monoclonal Antibody (131-17719)

Product Details	
Size	100 µL
Species Reactivity	Human
Published Species	Rat, Non-human primate, Chordate, Human, Mouse
Host/Isotype	Mouse / IgG1, kappa
Class	Monoclonal
Type	Antibody
Clone	131-17719
Conjugate	Unconjugated
Immunogen	protein glial fibrillary acidic protein
Form	Liquid
Concentration	1 mg/mL
Purification	purified
Storage buffer	PBS, pH 7.2, with 0.1% BSA
Contains	5mM sodium azide
Storage conditions	4° C
RRID	AB_2535827


Applications	Tested Dilution	Publications
Western Blot (WB)	-	2 Publications
Immunohistochemistry (IHC)	-	10 Publications
Immunohistochemistry (Paraffin) (IHC (P))	-	2 Publications
Immunohistochemistry (Frozen) (IHC (F))	-	6 Publications
Immunohistochemistry - Free Floating (IHC (Free))	-	2 Publications
Immunocytochemistry (ICC/IF)	Assay-dependent	9 Publications
Flow Cytometry (Flow)	-	1 Publication
Miscellaneous PubMed (Misc)	-	5 Publications

Product Images For GFAP Monoclonal Antibody (131-17719)



GFAP Antibody (A-21282) in ICC/IF

Intermediate filaments of astrocytes and ependymal cells in a mouse brain cryosection identified using mouse monoclonal anti-GFAP and visualized with Alexa Fluor® 488 goat anti-mouse IgG antibody. Intermediate filaments of astrocytes and ependymal cells in a 14 µm mouse brain cryosection were identified using mouse monoclonal anti-glial fibrillary monoclonal antibody (anti-GFAP, Product # A-21282) and visualized with green-fluorescent Alexa Fluor® 488 goat anti-mouse IgG antibody (Product # A-11029). Nuclei were stained with blue-fluorescent DAPI (Product # D1306, D3571, D21490). The image was deconvolved using Huygens software (Scientific Volume Imaging, <http://www.svi.nl/>). 3-D reconstruction was performed using Imaris software (Bitplane AG, <http://www.bitplane.com/>).



GFAP Antibody (A-21282) in ICC/IF

Multicolor fluorescence analysis of mouse cerebellum cross section. Glial cells were labeled with GFAP Monoclonal Antibody, Mouse (131-17719) (Product # A-21282) and detected using TSA Kit #2 (Product # T-20912) with the HRP conjugate of goat anti-rabbit IgG and green-fluorescent Alexa Fluor® 488 tyramide. Calbindin was labeled with an anti-calbindin primary antibody and visualized using TSA Kit #41 (Product # T-30954) with the HRP conjugate of goat anti-mouse IgG and red-fluorescent Alexa Fluor® 555 tyramide. Nuclei were stained with blue-fluorescent Hoechst 33342 (Product # H1399, H3570, H21492).

[View more figures on thermofisher.cn](http://thermofisher.cn)

Western Blot (2)

Neurobiology of aging	Year 2014
Primary cultured astrocytes from old rats are capable to activate the Nrf2 response against MPP+ toxicity after tBHQ pretreatment.	Species Rat
"A-21282 was used in western blot to test if cortical astrocytes derived from old rats respond to tertbuthyl-hydroquinene pretreatment and promote an antioxidant rich environment"	
Authors: Alarcón-Aguilar A,Luna-López A,Ventura-Gallegos JL,Lazzarini R,Galván-Arzate S,González-Puertos VY, Morán J,Santamaría A,Königsberg M	
Journal of neurochemistry	Year 2013
The mood stabilizer valproate activates human FGF1 gene promoter through inhibiting HDAC and GSK-3 activities.	Species Human
"A-21282 was used in western blot to"	
Authors: Kao CY,Hsu YC,Liu JW,Lee DC,Chung YF,Chiu IM	
	Dilution 1:2000

Immunohistochemistry (10)

The Journal of experimental medicine	Year 2020
Glioma stem-like cells evade interferon suppression through MBD3 /NuRD complex-mediated STAT1 downregulation.	Species Human
"Published figure using GFAP monoclonal antibody (Product # A-21282) in Immunohistochemistry"	
Authors: Zhan X,Guo S,Li Y,Ran H,Huang H,Mi L,Wu J,Wang X,Xiao D,Chen L,Li D,Zhang S,Yan X,Yu Y,Li T,Han Q, He K,Cui J,Li T,Zhou T,Rich JN,Bao S,Zhang X,Li A,Man J	
	Dilution 1:50

Scientific reports	Year 2019
Longitudinal Functional Assessment of Brain Injury Induced by High-Intensity Ultrasound Pulse Sequences.	Species Mouse
"A-21282 was used in Immunohistochemistry to assess the neuroinflammatory response, behavioural effects and brain micro-electrocorticographic signals in mice following exposure to a train of transcranial pulses above normal clinical parameters."	
Authors: Ye M,Solarana K,Rafi H,Patel S,Nabili M,Liu Y,Huang S,Fisher JAN,Krauthamer V,Myers M,Welle C	
	Dilution 1:500

[View more IHC references on thermofisher.cn](#)

More applications with references on thermofisher.cn

- IHC (P) (2)
- IHC (F) (6)
- IHC (Free) (2)
- ICC/IF (9)
- Flow (1)
- Misc (5)

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTIES, EXPRESS OR IMPLIED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON-INFRINGEMENT. BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING THE WARRANTY PERIOD IS LIMITED TO REPAIR, REPLACEMENT OF OR REFUND FOR THE NON-CONFORMING PRODUCT(S) AT SELLER'S SOLE OPTION. THERE IS NO OBLIGATION TO REPAIR, REPLACE OR REFUND FOR PRODUCTS AS THE RESULT OF (I) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo therapeutic uses, or any type of consumption by or application to human or animals.