

ApoA1 Monoclonal Antibody (6001)

Product Details

Size	100 µg
Species Reactivity	Human
Host/Isotype	Mouse / IgG2a
Class	Monoclonal
Type	Antibody
Clone	6001
Conjugate	Unconjugated
Immunogen	Purified human plasma Apo A-1
Form	Liquid
Concentration	1 mg/mL
Purification	Ion-exchange chromatography
Storage buffer	PBS, pH 7.4, with 1mg/mL BSA
Contains	0.05% sodium azide
Storage conditions	Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C
RRID	AB_10980499

Applications	Tested Dilution	Publications
Western Blot (WB)	1:500-1:2,000	-
Immunohistochemistry (Paraffin) (IHC (P))	1:50-1:200	-
ELISA (ELISA)	1 µg/mL	-
Immunoprecipitation (IP)	Assay-dependent	-
Radioimmune Assays (RIA)	Assay-dependent	-


Product Specific Information

By sandwich ELISA, MA5-14667 can be used as a detection antibody with Product # 710263 as the coating antibody, to generate a matched pair. Using this matched pair, recombinant human Apo A-1, but not recombinant mouse Apo A-1, was detected. It is not recommended to use Product # 701239 for coating when MA5-14667 is used for detection. By sandwich ELISA, MA5-14667 can be used to detect Apo A-1 from serum samples. To increase sensitivity of sandwich ELISAs with MA5-14667, a biotinylated detection antibody followed by Streptavidin-HRP is recommended.

By Western blot, MA5-14667 detects recombinant human Apo A-1, but not recombinant mouse Apo A-1. MA5-14667 may not be as successful for detecting endogenous Apo A-1 by Western blot.


Product MA514667 is a smaller package size of MIA1401 (formerly sold as a Seradyn product).

Product Images For ApoA1 Monoclonal Antibody (6001)




ApoA1 Antibody (MA5-14667) in IHC (P)

Immunohistochemistry was performed on human liver tissue sections. To expose Apo A-1, tissues were microwaved for 10 minutes in 10mM sodium citrate, pH 6.0. Following antigen retrieval, endogenous peroxidases were blocked in a 3% hydrogen peroxide-methanol solution for 15 minutes, and then tissues were blocked in 3% BSA in PBS for 30 minutes at room temperature. Tissues were probed with an Apo A-1 monoclonal antibody (Product # MA5-14667) at a dilution of 1:100 overnight at 4C, washed extensively in PBST, and detection was performed with an HRP-conjugated anti-mouse IgG secondary antibody followed by DAB substrate. Tissues were counterstained with hematoxylin.



ApoA1 Antibody (MA5-14667)

The specificity of anti-Apolipoprotein A1 monoclonal antibody (Product # MA5-14667) was demonstrated by the ELISA detection of increased levels of Apolipoprotein A1 in serum from a patient with dyslipidemia versus normal human serum. {RE}



ApoA1 Antibody (MA5-14667) in WB

Western blot analysis of Apolipoprotein A-1 was performed by loading the indicated amounts of a recombinant human Apo A-1-hlgG1Fc fusion protein (Product # 10686-H02H-50) or a recombinant mouse Apo A-1-hlgG1Fc fusion protein (Product # 50918-M02H-50), and 10 μ L of PageRuler Prestained Protein Ladder (Product # 26616) per well onto a Novex® 4-20% Tris-Glycine polyacrylamide gel (Product # WT4202BOX). Proteins were transferred to a Nitrocellulose Membrane (Product # 88014) using the G2 Fast Blotter (Product # 62288), and blocked with 5% milk in TBST for at least 1 hour at room temperature. Apo A-1 was detected at ~50 kD using an Apolipoprotein A-1 monoclonal antibody (Product # MA5-14667) at a dilution of 1:1000 in blocking buffer overnight at 4C on a rocking platform, followed by an HRP-conjugated goat anti-mouse IgG Fc-specific secondary antibody (Product # 31439) at a dilution of 1:40,000 for at least 30 minutes at room temperature. Chemiluminescent detection was performed using SuperSignal West Dura (Product # 34075).

View more figures on thermofisher.cn

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTIES, EXPRESS OR IMPLIED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINGEMENT. BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING THE WARRANTY PERIOD IS LIMITED TO REPAIR, REPLACEMENT OF OR REFUND FOR THE NON-CONFORMING PRODUCT(S) AT SELLER'S SOLE OPTION. THERE IS NO OBLIGATION TO REPAIR, REPLACE OR REFUND FOR PRODUCTS AS THE RESULT OF (i) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (ii) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (iii) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (iv) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo therapeutic uses, or any type of consumption by or application to human or animals.