


Vimentin Polyclonal Antibody

Product Details	
Size	100 µL
Species Reactivity	Bovine, Dog, Chicken, Horse, Human, Mouse, Pig, Rat
Published Species	Mouse, Human
Host/Isotype	Chicken / IgY
Class	Polyclonal
Type	Antibody
Conjugate	Unconjugated
Immunogen	The immunogen used to generate our antibody was recombinant vimentin purified from E. coli.
Form	Liquid
Concentration	16.6 mg/mL
Purification	IgY fraction
Storage buffer	PBS
Contains	5mM sodium azide
Storage conditions	Store at 4°C short term. For long term storage, store at -20°C, avoiding freeze/thaw cycles.
RRID	AB_2257294


Applications	Tested Dilution	Publications
Western Blot (WB)	1:10,000-1:20,000	-
Immunohistochemistry (IHC)	-	7 Publications
Immunohistochemistry (Paraffin) (IHC (P))	1:150	-
Immunohistochemistry (Frozen) (IHC (F))	Assay-Dependent	-
Immunocytochemistry (ICC/IF)	1:200-1:5000	1 Publication

Product Images For Vimentin Polyclonal Antibody



Vimentin Antibody (PA1-16759) in WB


Western blot analysis of Vimentin in tissue and cell lysates. Samples were incubated in Vimentin polyclonal antibody (Product # PA1-16759 using a dilution of 1:5000. Antibody in red. [1] protein standard (red), [2] rat whole brain lysate, [3] HeLa, [4] SH-SY5Y, [5] HEK293, and [6] NIH-3T3 cell lysates. NB300-223 binds to the vimentin protein showing a single band at ~50 kDa. The blot was simultaneously probed with mouse mAb to MAP2C/D, dilution 1:5000 in green, revealing multiple bands around 280 kDa that correspond to full length MAP2A /2B isotypes, and ~70 kDa bands which are MAP2C/D isotypes. MAP2 isotypes are seen only in extracts containing neuronal lineage cells.



Vimentin Antibody (PA1-16759)

Antibody specificity was demonstrated by detection of differential basal expression of the target across cell models owing to their inherent genetic constitution. Immunofluorescence analysis using Vimentin Polyclonal Antibody (Product # PA1-16759) showed expression of Vimentin in HeLa compared to A-431. {RE}

Vimentin Polyclonal Antibody



Vimentin Antibody (PA1-16759) in WB

Western blot analysis was performed on Whole cell extracts (30 µg lysate) of HeLa (Lane 1), A-431 (Lane 2), SHSY-5Y (Lane 3), Hep G2 (Lane 4) and NIH /3T3 (Lane 5). The blot was probed with Anti-Vimentin Polyclonal Antibody (Product # PA1-16759, 1:2000 dilution) and detected by chemiluminescence using Goat anti-Chicken IgY (H+L) Secondary Antibody, HRP (Product # A16054, 0.25 µg/ml, 1:4000 dilution). A 54 kDa band corresponding to Vimentin was observed across all the cell lines positive for Vimentin (Lanes 1, 3 and 5), while this band was absent in the cell lines which do not express Vimentin protein (Lanes 2 and 4).

View more figures on thermofisher.cn

Immunohistochemistry (7)

Neuron	
RhoA drives actin compaction to restrict axon regeneration and astrocyte reactivity after CNS injury.	Year 2021
"PA1-16759 was used in Immunohistochemistry to demonstrate how extracellular inhibitors regulate axon regeneration, shed light on the capacity of reactive astrocytes to be growth inhibitory after CNS injury, and reveal cell-specific RhoA targeting as a promising therapeutic avenue."	Species Mouse
Authors: Stern S,Hilton BJ,Burnside ER,Dupraz S,Handley EE,Gonyer JM,Brakebusch C,Bradke F	
International journal of molecular sciences	Year 2019
4-methylumbelliferone Prevents Liver Fibrosis by Affecting Hyaluronan Deposition, FSTL1 Expression and Cell Localization.	Species Mouse
"PA1-16759 was used in Immunohistochemistry to provide insight in the alleviation of CCl4 induced liver fibrosis by 4-methylumbelliferone through the reduction of hyaluronan deposition, dowregulation of FSTL1 expression and suppression of hepatic stellate cell trans-differentiation and altered macrophage localisation."	Dilution 1:300
Authors: Andreichenko IN,Tsitrina AA,Fokin AV,Gabdulkhakova AI,Maltsev DI,Perelman GS,Bulgakova EV,Kulikov AM,Mikaelyan AS,Kotelevtsev YV	

[View more IHC references on thermofisher.cn](#)

Immunocytochemistry (1)

Virology	
NF-B activation is cell type-specific in the heart.	Year 2017
"Published figure using Vimentin polyclonal antibody (Product # PA1-16759) in Immunofluorescence"	Species Mouse
Authors: Rivera-Serrano EE,Sherry B	Dilution 1:2,000

More applications with references on thermofisher.cn

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTIES, EXPRESS OR IMPLIED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINGEMENT. BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING THE WARRANTY PERIOD IS LIMITED TO REPAIR, REPLACEMENT OF OR REFUND FOR THE NON-CONFORMING PRODUCT(S) AT SELLER'S SOLE OPTION. THERE IS NO OBLIGATION TO REPAIR, REPLACE OR REFUND FOR PRODUCTS AS THE RESULT OF (I) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo therapeutic uses, or any type of consumption by or application to human or animals.