



# **Aromatase Polyclonal Antibody**

<b>Product Details</b>		
Size	50 μg	
Species Reactivity	Bovine, Chicken, Horse, Human, Mouse, Pig, Rabbit, Rat	
Published Species	Pig, Sheep, Bovine, Mouse, Human	
Host/Isotype	Rabbit / IgG	
Class	Polyclonal	
Туре	Antibody	
Conjugate	Unconjugated	
Immunogen	Synthetic peptide surrounding amino acid 385 of human Aromatase	
Form	Liquid	
Concentration	0.5 mg/mL	
Purification	Antigen affinity chromatography	
Storage buffer	PBS, pH 7.2, with 30% glycerol, 5mM EDTA, 0.5% BSA	
Contains	0.03% ProClin 300	
Storage conditions	Store at 4°C short term. For long term storage, store at -20°C, avoiding freeze/thaw cycles.	
RRID	AB_2088676	

Applications	Tested Dilution	Publications
Western Blot (WB)	0.5-4 μg/mL	9 Publications
Immunohistochemistry (IHC)	-	4 Publications
Immunohistochemistry (Paraffin) (IHC (P))	10-20 μg/mL	-


# **Product Specific Information**

Store product as a concentrated solution. Centrifuge briefly prior to opening the vial.

# **Product Images For Aromatase Polyclonal Antibody**

# Aromatase Antibody (PA1-21398) in WB

Western Blot analysis of human brain lysate using Aromatase Polyclonal Antibody (Product # PA1-21398).



View more figures on thermofisher.cn

#### □ 13 References

### Western Blot (9)

Frontiers in cell and developmental biology

KISS1R and ANKRD31 Cooperate to Enhance Leydig Cell Gene Expression *via* the Cytoskeletal-Nucleoskeletal Pathway.

"PA1-21398 was used in Western Blotting to highlight a novel role for the Kisspeptin-10 in the induction of the cytoskeletal-nucleoskeletal route, downstream a physical interaction between KISS1 receptor and ANKRD31, with gene expression activation as final effect, in Leydig cells."

Authors: Ricci G,Guillou F,Catizone A,Mele VG,Moggio M,Chioccarelli T,Diano N,Meccariello R,Pierantoni R,Fasano S, Cobellis G.Chianese R.Manfrevola F

**Year** 2022

Species Mouse

Dilution 1:500

International journal of molecular sciences

High Doses of D-Chiro-Inositol Alone Induce a PCO-Like Syndrome and Other Alterations in Mouse Ovaries.

"Published figure using Aromatase polyclonal antibody (Product # PA1-21398) in Western Blot" Authors: Bevilacqua A,Dragotto J,Lucarelli M,Di Emidio G,Monastra G,Tatone C

**Year** 2021

Species Mouse

Dilution 1:500

View more WB references on thermofisher.cn

## Immunohistochemistry (4)

Acta endocrinologica (Bucharest, Romania: 2005)

INSIGHTS ON AROMATASE IMMUNOHISTOCHEMISTRY: VARIATIONS BETWEEN INTRINSIC MOLECULAR SUBTYPES OF BREAST CANCERS.

"PA1-21398 was used in Immunohistochemistry to describe aromatase expression in the major tissue compartments of breast malignant tumors."

Authors: Armasu I,Preda C,Ianole V,Mocanu V,Hristov I,Andriescu EC,Cretu-Silivestru I,Vasiliu I,Dascalu CG,Lupascu CD,Crumpei I,Serban DN,Serban IL,Ciobanu Apostol DG

**Year** 2022

Species Human

The Journal of international medical research

Increased expression of aromatase cytochrome P450 enzyme is associated with prolactinoma invasiveness in post-menopausal women.

"Published figure using Aromatase polyclonal antibody (Product # PA1-21398) in Immunohistochemistry" Authors: Su YX,Du GL,Shen HL,Wang W,Bao JL,Aierken A,Wang BW,Jiang S,Zhu J,Gao XM

**Year** 2019

View more IHC references on thermofisher.cn

## More applications with references on thermofisher.cn

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production specifications and/or accompanying package inserts ("Documentation"), No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is imited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anynou other than the Buyer. Any mode of sample in merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample inches the product is used to represent the superactive of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTIES, EXPRESS OR IMPLED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINGEMENT.

BUYER'S EXCLUSIVE REMEDY FOR NON-CORPORNING PRODUCTS DURING THE WARRANTY PERFORD IS LIMITED AND PREDIO IS LIMITED. A PREDUCTS AS THE RESULT OF (I) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limi