




CES1 Polyclonal Antibody

Product Details	
Size	100 μg
Species Reactivity	Human, Mouse, Rat
Host/Isotype	Rabbit / IgG
Class	Polyclonal
Туре	Antibody
Conjugate	Unconjugated
Immunogen	Recombinant Mouse Carboxylesterase 1C protein (19-550AA)
Form	Liquid
Concentration	4 mg/mL
Purification	Protein G
Storage buffer	PBS, pH 7.4, with 50% glycerol
Contains	0.03% ProClin 300
Storage conditions	-20°C or -80°C if preferred
RRID	AB_2867608


Applications	Tested Dilution	Publications
Western Blot (WB)	1:1,000-1:5,000	-
Immunohistochemistry (Paraffin) (IHC (P))	1:10-1:200	-
ELISA (ELISA)	Assay-dependent	-

Product Images For CES1 Polyclonal Antibody




CES1 Antibody (PA5-112874) in WB

Western blot analysis of CES1 using a polyclonal antibody (Product # PA5-112874) at a dilution of 2 μ g/mL. A goat anti-rabbit polyclonal secondary antibody at a dilution of 1:50,000 was used for detection in mouse lung tissue, mouse kidney tissue, mouse skeletal muscle tissue, and mouse thymus tissue. Observed band: 62 kDa.



CES1 Antibody (PA5-112874) in WB

Western Blot analysis of CES1 in multiple sample types using a CES1 polyclonal antibody (Product # PA5-112874) at a concentration of 2 μ g/ml. A goat anti rabbit polyclonal secondary antibody was used at a dilution of 1:10,000. Sample types that were tested include: Lane 1: Mouse liver tissue, Lane 2: Rat liver tissue.



CES1 Antibody (PA5-112874) in IHC (P)

Immunocytochemical analysis of paraffin-embeded CES1 in human tonsil tissue using a CES1 Polyclonal antibody (Product # PA5-112874) at a dilution of 1:10.

View more figures on thermofisher.cn

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTIES, EXPERESS OR IMPLEA REPRESS OR IMPLEA REGRANTED INITY, IMPLIED WARRANTIES, EXPERESS OR IMPLEA REPRESS OR IMPLEAD IN INITY, INTERES FOR ANY PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR ANY PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR ANY PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR ANY PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR ANY PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR ANY PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR ANY PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR ANY PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR ANY PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR ANY PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR AND PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR AND PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR AND PARTICULAR WARRANTIES, EXPERESS OR INTERIST. IN INITY, INTERIST SOR AND PARTICULAR WARRANTIES, EXPERESS O