

## **Product Details**

Size	100 µg
Species Reactivity	Human, Pig, Rat
Host/Isotype	Goat / IgG
Class	Polyclonal
Туре	Antibody
Conjugate	Unconjugated
Immunogen	Peptide with sequence C-NLEDVQPHDLGK.
Form	Liquid
Concentration	0.5 mg/mL
Purification	Ammonium sulfate precipitation
Storage buffer	TBS, pH 7.3, with 0.5% BSA
Contains	0.02% sodium azide
Storage conditions	-20° C, Avoid Freeze/Thaw Cycles


Applications	Tested Dilution	Publications
Western Blot (WB)	0.01-0.1 μg/mL	-
Immunohistochemistry (Paraffin) (IHC (P))	5 μg/mL	-
Immunocytochemistry (ICC/IF)	10 μg/mL	-

## **Product Specific Information**

This antibody is tested in Peptide ELISA: antibody detection limit dilution 1:64,000.


1

# Product Images For HSP60 Polyclonal Antibody




#### HSP60 Antibody (PA5-143265) in WB

Western Blot analysis of HSP60 in Human Heart (A), Kidney (B) and Liver (C) lysate and in Pig Heart (D), Kidney (E) and Liver (F) lysate (35 µg protein in RIPA buffer) using HSP60 Polyclonal Antibody (Product # PA5-143265) at 0.03 µg/mL. Detected by chemiluminescence.



## HSP60 Antibody (PA5-143265) in ICC/IF

Immunocytochemistry-Immunofluorescence analysis of HSP60 in HeLa cells using HSP60 Polyclonal Antibody (Product # PA5-143265). Cells were fixed with paraformaldehyde, permeabilized with 0.15% Triton, and incubated with the primary antibody for 1hr (10  $\mu$ g/mL) followed by Alexa Fluor 488 secondary antibody (4  $\mu$ g/mL), showing Mitochondrial staining. The nuclear stain is DAPI (blue). Negative control: Unimmunized goat IgG (10  $\mu$ g/mL) followed by Alexa Fluor 488 secondary antibody (4  $\mu$ g/mL).



#### HSP60 Antibody (PA5-143265) in ICC/IF

Immunocytochemistry analysis of HSP60 using HSP60 Polyclonal Antibody (Product # PA5-143265) in paraformaldehyde fixed A431 cells, permeabilized with 0.15% Triton. Primary incubation 1hr (10  $\mu$ g/mL) followed by Alexa Fluor 488 secondary antibody (2  $\mu$ g/mL), showing cytoplasmic staining. The nuclear stain is DAPI (blue). Negative control: Unimmunized goat IgG (10  $\mu$ g/mL) followed by Alexa Fluor 488 secondary antibody (2  $\mu$ g/mL).

### View more figures on thermofisher.cn

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrate of the general type and quality of goods and does not represent that any Product will conform to such model or sample. No OTHER WARRANTIES, EXPRESS OR IMPLED, ARER CRANTED INCLUDING WITHOUT LIMITATION, IMPLED WARRANTIES OF MERCHANTABILITY. THRESS FOR ANY PARTICULAR PURPROSE, OR NON INFRINGEMENT. BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS OUTING THE WARRANTY PERIOD IS UNITED TO REPAIR, REPLACEMENT OF OR REFUND FOR THE NON-CONFORMING PRODUCTS) AS THERE IS ON EXPRESS OR INJUED. ANY EXPRESS OR INJUED ANY EXPRESS OR INJUED ANY EXPRESS OR INJUED ANY EXPRESS OR INJUED TO REPAIR, REPLACEMENT OF OR REFUND FOR THE NON-CONFORMING PRODUCTS) AS THERE IS NO OBLIGATION TO FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE NON-CONFORMING PRODUCTS ON THERE IS NO OBLIGATION TO FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE RODUCTS. UNder Sections and the product or in the documentation accompanying the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro d