

# **Cdc25A Polyclonal Antibody**

Size       100 μL         Species Reactivity       Human, Mouse, Rat         Host/Isotype       Rabbit / IgG         Class       Polyclonal         Type       Antibody         Conjugate       Unconjugated         Immunogen       Recombinant protein encompassing a sequence within the N-terminus region of human C The exact sequence is proprietary.         Form       Liquid         Concentration       1 mg/mL         Purification       Antigen affinity chromatography	
Host/Isotype Rabbit / IgG  Class Polyclonal  Type Antibody  Conjugate Unconjugated  Immunogen Recombinant protein encompassing a sequence within the N-terminus region of human C The exact sequence is proprietary.  Form Liquid  Concentration 1 mg/mL	
Class Polyclonal  Type Antibody  Conjugate Unconjugated  Immunogen Recombinant protein encompassing a sequence within the N-terminus region of human C The exact sequence is proprietary.  Form Liquid  Concentration 1 mg/mL	
Type Antibody  Conjugate Unconjugated  Immunogen Recombinant protein encompassing a sequence within the N-terminus region of human C The exact sequence is proprietary.  Form Liquid  Concentration 1 mg/mL	
Conjugate  Unconjugated  Recombinant protein encompassing a sequence within the N-terminus region of human C The exact sequence is proprietary.  Form  Liquid  Concentration  1 mg/mL	
Immunogen       Recombinant protein encompassing a sequence within the N-terminus region of human C The exact sequence is proprietary.         Form       Liquid         Concentration       1 mg/mL	
The exact sequence is proprietary.  Form Liquid  Concentration 1 mg/mL	
Concentration 1 mg/mL	)C25A.
Ÿ	
Purification Antigen affinity chromatography	
Storage buffer 0.1M tris glycine, pH 7, with 10% glycerol	
Contains 0.01% thimerosal	
Storage conditions Store at 4°C short term. For long term storage, store at -20°C, avoiding freeze/thaw cycles	
RRID AB_2735616	

Applications	Tested Dilution	Publications
Western Blot (WB)	1:500-1:3,000	-
Immunohistochemistry (IHC)	-	1 Publication
Immunohistochemistry (Paraffin) (IHC (P))	1:100-1:1,000	-


### **Product Specific Information**

Positive Control: H1299, MCF-7

Predicted Reactivity: Dog (89%), Bovine (90%)


Store product as a concentrated solution. Centrifuge briefly prior to opening the vial.

#### **Product Images For Cdc25A Polyclonal Antibody**




### Cdc25A Antibody (PA5-77902) in WB

Western Blot using Cdc25A Polyclonal Antibody (Product # PA5-77902). Sample (30 µg of whole cell lysate). Lane A: H1299. Lane B: MCF-7 . 7.5% SDS PAGE. Cdc25A Polyclonal Antibody (Product # PA5-77902) diluted at 1:1,000.



## Cdc25A Antibody (PA5-77902) in IHC (P)

Cdc25A Polyclonal Antibody detects CDC25A protein at cytoplasm in rat pancreas by immunohistochemical analysis. Sample: Paraffin-embedded rat pancreas. Cdc25A Polyclonal Antibody (Product # PA5-77902) diluted at 1:500. Antigen Retrieval: Citrate buffer, pH 6.0, 15 min.



# Cdc25A Antibody (PA5-77902) in IHC (P)

Cdc25A Polyclonal Antibody detects CDC25A protein at cytoplasm in mouse liver by immunohistochemical analysis. Sample: Paraffin-embedded mouse liver. Cdc25A Polyclonal Antibody (Product # PA5-77902) diluted at 1:500. Antigen Retrieval: Citrate buffer, pH 6.0, 15 min.

View more figures on thermofisher.cn

#### **□ 1 Reference**

#### Immunohistochemistry (1)

Frontiers in cell and developmental biology

-arrestin1-E2F1-ac axis regulates physiological apoptosis and cell cycle exit in cellular models of early postnatal cerebellum.

**Year** 2023

"Published figure using Cdc25A polyclonal antibody (Product # PA5-77902) in Immunohistochemistry"

Authors: Abballe L,Alfano V,Antonacci C,Cefalo MG,Cacchione A,Del Baldo G,Pezzullo M,Po A,Moretti M,Mastronuzzi A,De Smaele E,Ferretti E,Locatelli F,Miele E

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTIES, EXPRESS OR IMPLED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINGEMENT.

BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING THE WARRANTY PERIOD IS LIMITED TO REPAIR, REPLACEMENT OF OR REFUND FOR THE NON-CONFORMING PRODUCTS). AT SELLER'S SOLE OFTION, THERE IS NO OBLIGATION TO REPAIR, REPLACEMENT OF OR REFUND FOR THE NON-CONFORMING PRODUCTS AS THE RESULT OF (I) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLICENCE OF OR BY BUYER, (III) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, or vivo or in vivo therapeutic uses, or any type of consumption by or application to human or animals.