



# **NF2 Polyclonal Antibody**

| <b>Product Details</b> |  |  |
|------------------------|--|--|
| Size                   | 100 μL   |  |
| Species Reactivity     | Human, Mouse, Rat  |  |
| Host/Isotype           | Rabbit / IgG   |  |
| Class                  | Polyclonal   |  |
| Туре                   | Antibody   |  |
| Conjugate              | Unconjugated   |  |
| Immunogen              | Recombinant fusion protein containing a sequence corresponding to amino acids 19-595 of human NF2 (NP_0002591) |  |
| Form                   | Liquid   |  |
| Concentration          | 0.68 mg/mL   |  |
| Purification           | Affinity Chromatography  |  |
| Storage buffer         | PBS, pH 7.3, with 50% glycerol   |  |
| Contains               | 0.05% ProClin 300  |  |
| Storage conditions     | -20° C, Avoid Freeze/Thaw Cycles   |  |
| RRID                   | AB_2807932   |  |


| Applications             | Tested Dilution | Publications |
|--------------------------|-----------------|--------------|
| Western Blot (WB)        | 1:500-1:2,000   | -            |
| Immunoprecipitation (IP) | 1:50-1:200      | -            |

#### **Product Specific Information**

Positive Samples: HeLa, 293T, HepG2; Cellular Location: Cell projection, Cytoplasm, Cytoplasmic granule, Cytoplasmic side, Nucleus, Nucleus, Peripheral membrane protein, cytoskeleton, filopodium membrane, perinuclear region, ruffle membrane


Immunogen sequence: PKTFTVRIVT MDAEMEFNCE MKWKGKDLFD LVCRTLGLRE TWFFGLQYTI KDTVAWLKMD KKVLDHDVSK EEPVTFHFLA KFYPENAEEE LVQEITQHLF FLQVKKQILD EKIYCPPEAS VLLASYAVQA KYGDYDPSVH KRGFLAQEEL LPKRVINLYQ MTPEMWEERI TAWYAEHRGR ARDEAEMEYL KIAQDLEMYG VNYFAIRNKK GTELLLGVDA LGLHIYDPEN RLTPKISFPW NEIRNISYSD KEFTIKPLDK KIDVFKFNSS KLRVNKLILQ LCIGNHDLFM RRRKADSLEV QQMKAQAREE KARKQMERQR LAREKQMREE AERTRDELER RLLQMKEEAT MANEALMRSE ETADLLAEKA QITEEEAKLL AQKAAEAEQE MQRIKATAIR TEEEKRLMEQ KVLEAEVLAL KMAEESERRA KEADQLKQDL QEAREAERRA KQKLLEIATK PTYPPMNPIP APLPPDIPSF NLIGDSLSFD FKDTDMKRLS MEIEKEKVEY MEKSKHLQEQ LNELKTEIEA LKLKERETAL DILHNENSDR GGSSKHNTIK KLTLQSAKSR VAFFEEL

### **Product Images For NF2 Polyclonal Antibody**



#### NF2 Antibody (PA5-96130) in WB

Western blot analysis of NF2 in extracts of various cell lines. Samples were incubated with NF2 Polyclonal antibody (Product # PA5-96130) using a dilution of 1:1,000, followed by HRP Goat Anti-Rabbit IgG (H+L) at a dilution of 1:10,000. Lysates/proteins: 25  $\mu$ g per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 180s.



## NF2 Antibody (PA5-96130) in IP

Immunoprecipitation of NF2 in 200 g extracts of HeLa cells. Samples were precipitated with 3 g NF2 Polyclonal antibody (Product # PA5-96130). Western blot was performed from the immunoprecipitate using NF2 Polyclonal antibody (Product # PA5-96130) at a dilution of 1:1,000.

For Research Use Only, Not for use in diagnostic procedures. Not for resale without express authorization, Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production occumentation, specifications and or accompanying package inserts; (Tocumentation). No claim of switchially increase a publication are used to a synthesis of the provided herein is its valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, which is used to a synthesis of the provided herein is its valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, which is used to a synthesis of the provided herein is its valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, which is used to a synthesis of the provided herein is its valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, which is used to a synthesis of the provided herein is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is needed to sample furnished to be used of sample furnished to the product provided herein is subjected to need to sample furnished to sample furnished to the product of the Product of the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, or vivo or in vivo therapeutic uses, or any type of consumption by or application to human or animals.