#### Performance guarenteed

# **SRSF3 Polyclonal Antibody**

## **Product Details**

Size	100 μL
Species Reactivity	Human, Mouse, Rat
Host/Isotype	Rabbit / IgG
Class	Polyclonal
Туре	Antibody
Conjugate	Unconjugated
Immunogen	Recombinant fusion protein containing a sequence corresponding to amino acids 1-90 of human SRSF3 (NP_0030081)
Form	Liquid
Concentration	1.42 mg/mL
Purification	Affinity Chromatography
Storage buffer	PBS, pH 7.3, with 50% glycerol
Contains	0.01% thimerosal
Storage conditions	-20° C, Avoid Freeze/Thaw Cycles
RRID	AB_2808302


Applications	Tested Dilution	Publications
Western Blot (WB)	1:500-1:2,000	-
Immunohistochemistry (Paraffin) (IHC (P))	1:100-1:200	-
Immunocytochemistry (ICC/IF)	1:50-1:200	-

## **Product Specific Information**

Immunogen sequence: MHRDSCPLDC KVYVGNLGNN GNKTELERAF GYYGPLRSVW VARNPPGFAF VEFEDPRDAA DAVRELDGRT LCGCRVRVEL SNGEKRSRNR; Positive Samples: U-87MG, HeLa, K-562, NIH/3T3, PC-12, Mouse brain, Mouse thymus, Rat brain; Cellular Location: Cytoplasm, Nucleus


1

## Product Images For SRSF3 Polyclonal Antibody




## SRSF3 Antibody (PA5-96500) in WB

Western blot analysis of SRSF3 in extracts of various cell lines. Samples were incubated with SRSF3 Polyclonal antibody (Product # PA5-96500) using a dilution of 1:3,000, followed by HRP Goat Anti-Rabbit IgG (H+L) at a dilution of 1: 10,000. Lysates/proteins: 25 µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 30s.



## SRSF3 Antibody (PA5-96500) in ICC/IF

Immunofluorescence analysis of SRSF3 in NIH/3T3 cells. Samples were incubated with SRSF3 Polyclonal antibody (Product # PA5-96500) using a dilution of 1:100. Blue: DAPI for nuclear staining.



#### SRSF3 Antibody (PA5-96500) in ICC/IF

Immunofluorescence analysis of SRSF3 in U-2 OS cells. Samples were incubated with SRSF3 Polyclonal antibody (Product # PA5-96500) using a dilution of 1:100. Blue: DAPI for nuclear staining.

## View more figures on thermofisher.cn

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrate of the general type and quality of goods and does not represent that any Product will conform to such model or sample. No OTHER WARRANTIES, EXPRESS OR IMPLED, ARER CRANTED INCLUDING WITHOUT LIMITATION, IMPLED WARRANTIES OF MERCHANTABILITY. THRESS FOR ANY PARTICULAR PURPROSE, OR NON INFRINGEMENT. BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS OUTING THE WARRANTY PERIOD IS UNITED TO REPAIR, REPLACEMENT OF OR REFUND FOR THE NON-CONFORMING PRODUCTS) AS THERE IS ON OBLIGATION TO FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE NON-CONFORMING PRODUCTS). A MANNER FOR EVENT OF FOR CENT. THERE IS NO OBLIGATION TO FORCE MAJEURE, (III) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE NON-CONFORMING PRODUCTS) AS THERE WORD DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE RODUCTS. Unless otherwise expressing stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo thrapeutic uses, or any type of consumption by or application to human or animals.