



EFTUD2 Polyclonal Antibody


Product Details		
Size	100 μL	
Species Reactivity	Human, Mouse, Rat	
Host/Isotype	Rabbit / IgG	
Class	Polyclonal	
Туре	Antibody	
Conjugate	Unconjugated	
Immunogen	Recombinant fusion protein containing a sequence corresponding to amino acids 1-205 of human EFTUD2 (NP_0042383)	
Form	Liquid	
Concentration	1.49 mg/mL	
Purification	Affinity Chromatography	
Storage buffer	PBS, pH 7.3, with 50% glycerol	
Contains	0.02% sodium azide	
Storage conditions	-20° C, Avoid Freeze/Thaw Cycles	
RRID	AB_2808361	

Applications	Tested Dilution	Publications
Western Blot (WB)	1:500-1:1,000	-
Immunohistochemistry (Paraffin) (IHC (P))	1:50-1:200	-
Immunocytochemistry (ICC/IF)	1:50-1:100	-
Immunoprecipitation (IP)	1:20-1:50	-

Product Specific Information


Immunogen sequence: MDTDLYDEFG NYIGPELDSD EDDDELGRET KDLDEMDDDD DDDDVGDHDD DHPGMEVVLH EDKKYYPTAE EVYGPEVETI VQEEDTQPLT EPIIKPVKTK KFTLMEQTLP VTVYEMDFLA DLMDNSELIR NVTLCGHLHH GKTCFVDCLI EQTHPEIRKR YDQDLCYTDI LFTEQERGVG IKSTPVTVVL PDTKGKSYLF NIMDT; Positive Samples: Jurkat, HepG2, HeLa, Mouse testis, Mouse brain, Mouse spleen, Mouse thymus, Mouse lung; Cellular Location: Nucleus

Product Images For EFTUD2 Polyclonal Antibody




EFTUD2 Antibody (PA5-96559) in WB

Western blot analysis of EFTUD2 in various lysates. Samples were incubated with EFTUD2 Polyclonal antibody (Product # PA5-96559) using a dilution of 1: 1,000, followed by HRP Goat Anti-Rabbit IgG (H+L) at a dilution of 1:10,000. Lysates/proteins: 25 μ g per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 30s.



EFTUD2 Antibody (PA5-96559) in ICC/IF

Immunofluorescence analysis of EFTUD2 in L929 cells. Samples were incubated with EFTUD2 Polyclonal antibody (Product # PA5-96559) using a dilution of 1: 100. Blue: DAPI for nuclear staining.



EFTUD2 Antibody (PA5-96559) in ICC/IF

Immunofluorescence analysis of EFTUD2 in HeLa cells. Samples were incubated with EFTUD2 Polyclonal antibody (Product # PA5-96559) using a dilution of 1: 100. Blue: DAPI for nuclear staining.

View more figures on thermofisher.cn

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANITIES, EXPERSS OR IMPLET AND REPRESS OR IMPLET AND REPR