



# **NDE1 Polyclonal Antibody**


<b>Product Details</b>		
Size	100 μL	
Species Reactivity	Human, Mouse, Rat	
Host/Isotype	Rabbit / IgG	
Class	Polyclonal	
Туре	Antibody	
Conjugate	Unconjugated	
Immunogen	Recombinant fusion protein containing a sequence corresponding to amino acids 1-110 of human NDE1 (NP_0601381)	
Form	Liquid	
Concentration	0.74 mg/mL	
Purification	Affinity Chromatography	
Storage buffer	PBS, pH 7.3, with 50% glycerol	
Contains	0.02% sodium azide	
Storage conditions	-20° C, Avoid Freeze/Thaw Cycles	
RRID	AB_2808385	

Applications	Tested Dilution	Publications
Western Blot (WB)	1:500-1:2,000	-
Immunohistochemistry (Paraffin) (IHC (P))	1:50-1:200	-

## **Product Specific Information**


Immunogen sequence: MEDSGKTFSS EEEEANYWKD LAMTYKQRAE NTQEELREFQ EGSREYEAEL ETQLQQIETR NRDLLSENNR LRMELETIKE KFEVQHSEGY RQISALEDDL AQTKAIKDQL; Positive Samples: HeLa, HepG2, SKOV3, MCF7, A673, Mouse heart, Mouse lung; Cellular Location: Chromosome, Cleavage furrow, Cytoplasm, centromere, centrosome, cytoskeleton, kinetochore, microtubule organizing center, spindle

# **Product Images For NDE1 Polyclonal Antibody**




#### NDE1 Antibody (PA5-96583) in WB

Western blot analysis of NDE1 in extracts of various cell lines. Samples were incubated with NDE1 Polyclonal antibody (Product # PA5-96583) using a dilution of 1:1,000, followed by HRP Goat Anti-Rabbit IgG (H+L) at a dilution of 1:10,000. Lysates/proteins: 25  $\mu$ g per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 90s.



#### NDE1 Antibody (PA5-96583) in IHC (P)

Immunohistochemistry analysis of NDE1 in paraffin-embedded human breast cancer using. Samples were incubated with NDE1 Polyclonal antibody (Product # PA5-96583) using a dilution of 1:100 (40x lens). Perform microwave antigen retrieval with 10 mM PBS buffer pH 7.2 before commencing with IHC staining protocol.



## NDE1 Antibody (PA5-96583) in IHC (P)

Immunohistochemistry analysis of NDE1 in paraffin-embedded rat spleen. Samples were incubated with NDE1 Polyclonal antibody (Product # PA5-96583) using a dilution of 1:100 (40x lens). Perform microwave antigen retrieval with 10 mM PBS buffer pH 7.2 before commencing with IHC staining protocol.

# View more figures on thermofisher.cn

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts (Tocumentation). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anypone other than the Buyer. Any mode of sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample involved the product is used to sample involved the product is more involved to the product of the product is such as a contract of the product of the product is such as a contract of the product is such as a contract of the product is an extended to any product will conform to such model or sample involved the product is such as a contract of the product is such as a contract of the product is an extended to product in the product is an extended to product in the product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro