




GABARAPL2 Polyclonal Antibody

Product Details	
Size	100 μg
Species Reactivity	Human, Rat
Host/Isotype	Rabbit / IgG
Class	Polyclonal
Туре	Antibody
Conjugate	Unconjugated
Immunogen	Recombinant Human Gamma-aminobutyric acid receptor-associated protein-like 2 protein (1-117AA)
Form	Liquid
Concentration	0.5 mg/mL
Purification	Protein G
Storage buffer	PBS, pH 7.4, with 50% glycerol
Contains	0.03% ProClin 300
Storage conditions	-20°C or -80°C if preferred
RRID	AB_2812884


Applications	Tested Dilution	Publications
Western Blot (WB)	1:500-1:5,000	-
Immunohistochemistry (Paraffin) (IHC (P))	1:1,000-1:2,000	-
ELISA (ELISA)	Assay-Dependent	-

Product Images For GABARAPL2 Polyclonal Antibody




GABARAPL2 Antibody (PA5-98271) in WB

Western Blot analysis of GABARAPL2 using a GABARAPL2 Polyclonal antibody (Product # PA5-98271) at a concentration of 4 µg/mL. Positive WB detected in: Raji whole cell lysate, Rat spleen tissue. A secondary Goat polyclonal antibody to rabbit IgG was applied at a 1:50,000 dilution. Observed band size: 14 kDa.



GABARAPL2 Antibody (PA5-98271) in IHC (P)

Immunohistochemical analysis of GABARAPL2 in paraffin embedded human prostate tissue using a GABARAPL2 polyclonal antibody (Product # PA5-98271) at a dilution of 1:1200. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4°C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.



GABARAPL2 Antibody (PA5-98271) in IHC (P)

Immunohistochemical analysis of GABARAPL2 in paraffin embedded human heart tissue using a GABARAPL2 polyclonal antibody (Product # PA5-98271) at a dilution of 1:1200. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4°C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTIES, EXPERESS OR IMPLEA REPRESS OR IMPLEA REGRANTED INITY, IMPLIED WARRANTIES, EXPERESS OR IMPLEA REPRESS OR IMPLEAD IN INFINITY ("INFINITY PROPOSE"). AND ANY PARTICULAR VARRANTIES, EXPERESS OR IMPLEAD IN INFINITY PROPOSED, OR NON INFINITY PROPOSED IN INFINITY PROPOSED I