


# Goat anti-Mouse IgM (Heavy chain) Cross-Adsorbed Secondary Antibody, Alexa Fluor™ 568

Product Details	
Size	500 µg
Species Reactivity	Mouse
Host/Isotype	Goat / IgG
Class	Polyclonal
Type	Secondary Antibody
Conjugate	Alexa Fluor™ 568
Excitation/Emission Max	579/603 nm
Immunogen	Mouse Mu immunoglobulin
Form	liquid
Concentration	2 mg/mL
Purification	purified
Storage buffer	PBS, pH 7.5
Contains	5mM sodium azide
Storage conditions	4° C, store in dark
RRID	AB_2535712

Applications	Tested Dilution	Publications
Western Blot (WB)	1:5,000-1:10,000	-
Immunohistochemistry (IHC)	1-10 µg/mL	0 Publication
Immunohistochemistry - Free Floating (IHC (Free))	-	0 Publication
Immunocytochemistry (ICC/IF)	1:1,000-1:2,000	0 Publication
Miscellaneous PubMed (Misc)	-	0 Publication

**Product Specific Information**  
Product will be shipped at Room Temperature.

Product Images For Goat anti-Mouse IgM (Heavy chain) Cross-Adsorbed Secondary Antibody, Alexa Fluor™ 568




Mouse IgM (Heavy chain) Cross-Adsorbed Secondary Antibody (A-21043)

Specificity of secondary antibody was demonstrated by specific detection of the target immunoglobulin. Antibody specificity was demonstrated by specific detection of Mouse IgM. A band at ~78 kDa corresponding to Mouse IgM Heavy Chain was observed in Mouse IgM but not in other species using Goat anti-Mouse IgM (Heavy chain) Cross-Adsorbed Secondary Antibody, Alexa Fluor™ 568 (Product # A-21043) in Western Blot. {RE}


Mouse IgM (Heavy chain) Cross-Adsorbed Secondary Antibody (A-21043) in WB

Fluorescent western blot was performed using Goat anti-Mouse IgM (Heavy chain) Cross-Adsorbed Secondary Antibody, Alexa Fluor 568 (Product # A-21043). Whole cell extracts of SH-SY5Y (Lane 1, 2, 3), HeLa (Lane 4, 5, 6), MCF7 (Lane 7), HaCaT (Lane 8), and A-431 (Lane 9) were electrophoresed using NuPAGE™ 4-12% Bis-Tris Protein Gel (Product # NP03221BOX). Resolved proteins were transferred onto nitrocellulose membrane (Product # IB23001) by iBlot® 2 Dry Blotting System (Product # IB21001). The blot was probed with Vimentin Monoclonal Antibody (VI-01) (Product # MA1-19168), and HSP70 Polyclonal Antibody (Product # PA5-28003). Secondary antibodies (Product # A-21043, 1:3000), and (Product # A32808, 1:20,000) were used for detection of Vimentin, and HSP70 respectively. Fluorescent detection was performed using iBright™ FL1500 (Product # A44115). The anti-mouse secondary antibody (Product # A-21043) specifically detects the mouse primary antibody.



Mouse IgM (Heavy chain) Cross-Adsorbed Secondary Antibody (A-21043) in ICC/IF

Immunofluorescence analysis of Goat anti-Mouse IgM (Heavy chain) Cross-Adsorbed Secondary Antibody, Alexa Fluor 568 (Product # A-21043) was performed using HeLa (positive model) and MCF-7 (negative model) cells stained with Vimentin Monoclonal Antibody (VI-01) (Product # MA1-19168). The cells were fixed with 4% paraformaldehyde for 10 minutes, permeabilized with 0.1% Triton™ X-100 for 10 minutes, blocked with 2% BSA for 1 hour and labeled with 5 mg/mL of primary antibody overnight at 4C. Goat anti-Mouse IgM (Heavy chain) Cross-Adsorbed Secondary Antibody, Alexa Fluor 568 (Product # A-21043, 1:2000) in 0.1% BSA in PBS for 1 hour at room temperature, was used for detection of Vimentin in the cytoskeleton (Panel a: Red). Nuclei (Panel b: blue) were stained with ProLong™ Diamond Antifade Mountant with DAPI (Product # P36962). F-actin was stained with Alexa Fluor® 488 Phalloidin (Product # A12379, 1:500) (Panel c: green). Panel d represents the composite image. The specificity of the secondary antibody was proved by the little or no signal in MCF-7 due to little or no primary antibody binding (Panel e). Non-specific staining was not observed with secondary antibody alone (panel f). The images were captured at 60X magnification.



View more figures on [thermofisher.cn](https://thermofisher.cn)

mtFociCounter for automated single-cell mitochondrial nucleoid quantification and reproducible foci analysis. *Nucleic Acids Res* (2023)

Chondroitin sulfate is required for follicle epithelial integrity and organ shape maintenance in *Drosophila*. *Development* (2023)

The vascular gene *Apold1* is dispensable for normal development but controls angiogenesis under pathological conditions. *Angiogenesis* (2023)

Metformin Improves Functional Outcomes, Activates Neural Precursor Cells, and Modulates Microglia in a Sex-Dependent Manner After Spinal Cord Injury. *Stem Cells Transl Med* (2023)

The intracellular and plasma membrane pools of phosphatidylinositol-4-monophosphate control megakaryocyte maturation and proplatelet formation. *Res Pract Thromb Haemost* (2023)

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTIES, EXPRESS OR IMPLIED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINGEMENT. BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING THE WARRANTY PERIOD IS LIMITED TO REPAIR, REPLACEMENT OF OR REFUND FOR THE NON-CONFORMING PRODUCT(S) AT SELLER'S SOLE OPTION. THERE IS NO OBLIGATION TO REPAIR, REPLACE OR REFUND FOR PRODUCTS AS THE RESULT OF (i) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (ii) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (iii) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (iv) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo therapeutic uses, or any type of consumption by or application to human or animals.